

NASA/TM-2001-206892, Vol. 12



SeaWiFS Postlaunch Technical Report Series

Stanford B. Hooker and Elaine R. Firestone, Editors

Volume 12, SeaWiFS Postlaunch Technical Report Series Cumulative Index: Volumes 1-11

Elaine R. Firestone and Stanford B. Hooker

National Aeronautics and
Space Administration

Goddard Space Flight Center
Greenbelt, Maryland 20771

The NASA STI Program Office ... in Profile

Since its founding, NASA has been dedicated to the advancement of aeronautics and space science. The NASA Scientific and Technical Information (STI) Program Office plays a key part in helping NASA maintain this important role.

The NASA STI Program Office is operated by Langley Research Center, the lead center for NASA's scientific and technical information. The NASA STI Program Office provides access to the NASA STI Database, the largest collection of aeronautical and space science STI in the world. The Program Office is also NASA's institutional mechanism for disseminating the results of its research and development activities. These results are published by NASA in the NASA STI Report Series, which includes the following report types:

- **TECHNICAL PUBLICATION.** Reports of completed research or a major significant phase of research that present the results of NASA programs and include extensive data or theoretical analysis. Includes compilations of significant scientific and technical data and information deemed to be of continuing reference value. NASA's counterpart of peer-reviewed formal professional papers but has less stringent limitations on manuscript length and extent of graphic presentations.
- **TECHNICAL MEMORANDUM.** Scientific and technical findings that are preliminary or of specialized interest, e.g., quick release reports, working papers, and bibliographies that contain minimal annotation. Does not contain extensive analysis.
- **CONTRACTOR REPORT.** Scientific and technical findings by NASA-sponsored contractors and grantees.
- **CONFERENCE PUBLICATION.** Collected papers from scientific and technical conferences, symposia, seminars, or other meetings sponsored or cosponsored by NASA.
- **SPECIAL PUBLICATION.** Scientific, technical, or historical information from NASA programs, projects, and mission, often concerned with subjects having substantial public interest.
- **TECHNICAL TRANSLATION.** English-language translations of foreign scientific and technical material pertinent to NASA's mission.

Specialized services that complement the STI Program Office's diverse offerings include creating custom thesauri, building customized databases, organizing and publishing research results . . . even providing videos.

For more information about the NASA STI Program Office, see the following:

- Access the NASA STI Program Home Page at <http://www.sti.nasa.gov/STI-homepage.html>
- E-mail your question via the Internet to help@sti.nasa.gov
- Fax your question to the NASA Access Help Desk at (301) 621-0134
- Telephone the NASA Access Help Desk at (301) 621-0390
- Write to:
NASA Access Help Desk
NASA Center for AeroSpace Information
7121 Standard Drive
Hanover, MD 21076-1320



SeaWiFS Postlaunch Technical Report Series

Stanford B. Hooker, Editor
NASA Goddard Space Flight Center, Greenbelt, Maryland

Elaine R. Firestone, Senior Technical Editor
SAIC General Sciences Corporation, Beltsville, Maryland

Volume 12, SeaWiFS Postlaunch Technical Report Series Cumulative Index: Volumes 1–11

Elaine R. Firestone
SAIC General Sciences Corporation, Beltsville, Maryland

Stanford B. Hooker
NASA Goddard Space Flight Center, Greenbelt, Maryland

ISSN 1522-8789

Available from:

NASA Center for AeroSpace Information
7121 Standard Drive
Hanover, MD 21076-1320
Price Code: A17

National Technical Information Service
5285 Port Royal Road
Springfield, VA 22161
Price Code: A10

ABSTRACT

The Sea-viewing Wide Field-of-view Sensor (SeaWiFS) is the follow-on ocean color instrument to the Coastal Zone Color Scanner (CZCS), which ceased operations in 1986, after an eight-year mission. SeaWiFS was launched on 1 August 1997, onboard the OrbView-2 satellite, built by Orbital Sciences Corporation (OSC). The SeaWiFS Project at the National Aeronautics and Space Administration (NASA) Goddard Space Flight Center (GSFC), undertook the responsibility of documenting all aspects of this mission, which is critical to the ocean color and marine science communities. The start of this documentation was titled the *SeaWiFS Technical Report Series*, which ended after 43 volumes were published. A follow-on series was started, titled the *SeaWiFS Postlaunch Technical Report Series*. This particular volume of the so-called *Postlaunch Series* serves as a reference, or guidebook, to the previous 11 volumes and consists of 5 sections including an errata, an addendum, an index to key words and phrases, a list of acronyms used, and a list of all references cited. The editors will publish a cumulative index of this type after every five volumes.

1. INTRODUCTION

This is the second in a series of indexes, published as a separate volume in the *SeaWiFS Postlaunch Technical Report Series*, and includes information found in the previous 11 volumes of the series. The *SeaWiFS Postlaunch Technical Report Series* has been written under National Aeronautics and Space Administration (NASA) Technical Memorandum (TM) numbers 1998-206892, 1999-206892, 2000-206892, and 2001-206892, with the year part of the TM number changing with each calendar year of its existence. The volume numbers, authors, and titles of the volumes covered in this index are:

- Vol. 1: Johnson, B.C., J.B. Fowler, and C.L. Cromer, *The SeaWiFS Transfer Radiometer (SXR)*.
- Vol. 2: Aiken, J., D.G. Cummings, S.W. Gibb, N.W. Rees, R. Woodd-Walker, E.M.S. Woodward, J. Woolfenden, S.B. Hooker, J-F. Berthon, C.D. Dempsey, D.J. Suggett, P. Wood, C. Donlon, N. González-Benítez, I. Huskin, M. Quevedo, R. Barciela-Fernandez, C. de Vargas, and C. McKee, *AMT-5 Cruise Report*.
- Vol. 3: Hooker, S.B., G. Zibordi, G. Lazin, and S. McLean, *The SeaBOARR-98 Field Campaign*.
- Vol. 4: Johnson, B.C., E.A. Early, R.E. Eplee, Jr., R.A. Barnes, and R.T. Caffrey, *The 1997 Pre-launch Radiometric Calibration of SeaWiFS*.
- Vol. 5: Barnes, R.A., R.E. Eplee, Jr., S.F. Biggar, K.J. Thome, E.F. Zalewski, P.N. Slater, and A.W. Holmes, *The SeaWiFS Solar Radiation-Based Calibration and the Transfer-to-Orbit Experiment*.
- Vol. 6: Firestone, E.R., and S.B. Hooker, *SeaWiFS Postlaunch Technical Report Series Cumulative Index: Volumes 1-5*.

Vol. 7: Johnson, B.C., H.W. Yoon, S.S. Bruce, P-S. Shaw, A. Thompson, S.B. Hooker, R.E. Eplee, Jr., R.A. Barnes, S. Maritorena, and J.L. Mueller, *The Fifth SeaWiFS Intercalibration Round-Robin Experiment (SIRREX-5), July 1996*.

Vol. 8: Hooker, S.B., and G. Lazin, *The SeaBOARR-99 Field Campaign*.

Vol. 9: McClain, C.R., E.J. Ainsworth, R.A. Barnes, R.E. Eplee, Jr., F.S. Patt, W.D. Robinson, M. Wang, and S.W. Bailey, *SeaWiFS Postlaunch Calibration and Validation Analyses, Part 1*.

Vol. 10: McClain, C.R., R.A. Barnes, R.E. Eplee, Jr., B.A. Franz, N.C. Hsu, F.S. Patt, C.M. Pietras, W.D. Robinson, B.D. Schieber, G.M. Schmidt, M. Wang, S.W. Bailey, and P.J. Werdell, *SeaWiFS Postlaunch Calibration and Validation Analyses, Part 2*.

Vol. 11: O'Reilly, J.E., and 24 Coauthors, *SeaWiFS Postlaunch Calibration and Validation Analyses, Part 3*.

This volume serves as a reference, or guidebook, to the preceding volumes of the so-called *Postlaunch Series*. It consists of three main sections: a cumulative index to key words and phrases, a glossary of acronyms, and a bibliography of all references cited in the series. An errata section has been added to address issues and needed corrections which have come to the editors' attention since the volumes were first published. In addition, an addendum section has been added to include the revised *SeaWiFS Project In Situ Data Policy*, which is too short in length to warrant a separate volume within the series.

The nomenclature of the index section is a familiar one, in the sense that it is a sequence of alphabetical entries, but it uses a unique format because multiple volumes are involved. Unless indicated otherwise, the index entries refer




Fig. 29. The map of current station locations in the final match-up data set.

to some aspect of the SeaWiFS Project or instrument. An index entry is composed of a keyword or phrase followed by an entry field that directs the reader to the possible locations where a discussion of the keyword can be found. The entry field is normally made up of a volume identifier shown in bold face, followed by a page identifier, which is always enclosed in parentheses:

keyword, **volume**(pages).

If an entry is the subject of an entire volume, the volume field is shown in slanted type without a page field:

keyword, Vol. #.

An entry can also be the subject of a complete chapter. In this instance, both the volume number and chapter number appear without a page field:

keyword, **volume**(ch. #).

Figures or tables that provide particularly important summary information are also indicated as separate entries in the page field (even if they fall within an already specified page range). In this case, the figure or table number is given with the page number on which it appears.

keyword, **volume**(Fig. # p. #).

or

keyword, **volume**(Table # p. #).

2. ERRATA

In Volume 10, page 51, the table should be labeled "Table 13" instead of "Table 3."

Figure 29 in Volume 10 did not appear in the published document because of a printing error. The appropriate figure and caption appears above.

Note: Since the issuance of previous volumes, a number of the references cited have changed their publication status, e.g., they have gone from "submitted," "accepted," or "in press" to printed matter. In other instances, some part (or parts) of the citation, e.g., the title or year, has changed. Listed below are the references in question as they were cited in one or more of the first 11 volumes in the series, along with how they now appear in the references section of *this* volume.

Original Citation

Biggar, S.F., 1999: A method for correcting the irradiance of standards of spectral irradiance (lamps) operated at non-standard distances. *Opt. Photonics News*, (accepted).

Revised Citation

Biggar, S.F., 2001: A method for correcting the irradiance of standards of spectral irradiance (lamps) operated at non-standard distances. *Opt. Photonics News*, (withdrawn).

Original Citation

Biggar, S.F., P.N. Slater, J.M. Palmer, and K.J. Thome, 2000: Unified approach to absolute radiometric calibration in the solar-reflective range. *Remote Sens. Environ.*, (accepted).

Revised Citation

Biggar, S.F., P.N. Slater, J.M. Palmer, and K.J. Thome, 2001: Unified approach to absolute radiometric calibration in the solar-reflective range. *Remote Sens. Environ.*, (accepted).

Original Citation

Early E.A., P.Y. Barnes, B.C. Johnson, J.J. Butler, C.J. Bruegge, S.F. Biggar, P.R. Spyak, and M.M. Pavlov, 1999: Bidirectional reflectance round-robin in support of the Earth Observing System Program. *J. Atmos. Oceanic Tech.*, (accepted).

Revised Citation

Early E.A., P.Y. Barnes, B.C. Johnson, J.J. Butler, C.J. Bruegge, S.F. Biggar, P.R. Spyak, and M.M. Pavlov, 2000: Bidirectional reflectance round-robin in support of the Earth Observing System Program. *J. Atmos. Oceanic Tech.*, **17**, 1,077–1,091.

Original Citation

Morel, A., and S. Maritorena, 2000: Bio-optical properties of oceanic waters: a reappraisal. *J. Geophys. Res.*, (submitted).

Revised Citation

Morel, A., and S. Maritorena, 2001: Bio-optical properties of oceanic waters: a reappraisal. *J. Geophys. Res.*, **106**, 7,163–7,180.

Original Citation

Subramaniam, A., R.R. Hood, C.W. Brown, E.J. Carpenter, and D.G. Capone, 2000: A classification algorithm for mapping *Trichodesmium* blooms using SeaWiFS. *Deep-Sea Res.*, (submitted).

Revised Citation

Subramaniam, A., R.R. Hood, C.W. Brown, E.J. Carpenter, and D.G. Capone, 2001: Detecting *Trichodesmium* blooms in SeaWiFS imagery. *Deep-Sea Res.*, (in press).

3. ADDENDUM

SeaWiFS Project In Situ Data Policy

This policy provides the guidelines for data collected under the NASA Research Announcement (NRA) Biological Oceanography Program and SeaWiFS Project field collaborations for inclusion in the calibration and validation database. The *in situ* data is to be submitted to the SeaWiFS Bio-optical Archive and Storage System (SeaBASS) [Hooker et al. 1994c, Fargion and Mueller 2000, and Fargion and McClain 2001]†. The SeaBASS database is co-managed by the Sensor Intercomparison and Merger for Biological and Interdisciplinary Oceanic Studies (SIMBIOS) and SeaWiFS Projects at Goddard Space Flight Center (GSFC).

The purpose of SeaBASS is to ensure that a user-friendly, searchable database of *in situ* and airborne bio-optical measurements is readily available to the NASA Ocean Color Science Team members and to other approved individuals (members of other ocean color instrument teams, voluntary data contributors, etc.) for advanced algorithm development and data product validation purposes. In addition, SeaBASS contains a variety of data collected using different methods (e.g., subsurface and above-surface reflectance, high performance liquid chromatography, and fluorometric chlorophyll *a*) which are useful for measurement protocol evaluation purposes (Mueller and Austin 1995, Hooker et al. 1999b, and Fargion and Mueller 2000). This policy supercedes the SeaWiFS Project 1991 policy (Appendix A in Hooker et al. 1993b).

Submission: Ocean color algorithm development is essentially observation limited, and rapid turnaround and access to such data are crucial for progress. Principal Investigators (PIs) supported under the SIMBIOS and SeaWiFS Programs must meet a 6-month data submission deadline. Bio-optical data collected under funding from the NASA Ocean Biology Program, however, must be submitted within 1 year. International Science Team members and members of other ocean color instrument teams who are making suitable observations for algorithm development and validation are encouraged to provide their data as well, to foster collaboration.

Formats and Metadata: Data should be provided in the currently agreed-upon format, along with relevant information describing collection conditions, instrument specifications, instrument performance and calibration, and statements of data accuracy. The currently used data format specifications and examples are posted on the SeaBASS Web site (<http://seabass.gsfc.nasa.gov/~seabass/seabass/html/seabass.html>). The provider should use FCHECK, which is an automated format checker program,

to test the format validity of SeaBASS data files via return e-mail. Appropriate instrument information, cruise reports, and calibration histories are expected from each data provider. For data providers supported by the SeaWiFS Project Office, submission of the above information is mandatory. Data values shall be in appropriate units (e.g., providing volts together with conversion coefficients and drift data is unacceptable). High level data sets, such as normalized water-leaving radiance spectra, are encouraged together with descriptions or citations of the procedures used to derive the values. Descriptions of data should be segmented into logical groupings, e.g., by station, date, parameter, etc. Data quality, calibration traceability and history, instrument drift, and sampling protocols may be in text format. Future recommended format modifications may be proposed during NASA Ocean Color Science Team meetings and then discussed for approval and implementation.

Data Delivery and Access: Researchers, who are supported by the SeaWiFS Project Office, will be required to deliver data to the SeaWiFS Project Office within six months of data collection. For a period of three years following data collection, access to the digital data will be limited to the NASA Ocean Color Science Team and other approved users as agreed upon by the SeaWiFS Project Office and data providers unless earlier access is granted by individual data providers. Data providers can declare their data sets available for open access anytime prior to the three-year anniversary. The SeaWiFS and SIMBIOS Project Offices will grant access to international science team members on a case-by-case basis according to ongoing collaboration efforts. Other investigators from the ocean color community will be able to query SeaBASS for information about the data (i.e., parameters, locations, dates, and investigators), but will not have access to the data itself. If the investigators are interested in obtaining the data, they will be referred to the appropriate provider. After the third-year anniversary of data collection, all restricted data will change to an open status, and a copy of the data will be given to the National Oceanographic Data Center (NODC) for distribution. Exceptions to this plan may be made with the approval of the Ocean Color Science Team. For example, some special data sets for algorithm development may be made available to the research community without restrictions.

Use Conditions: Prior to the three-year data collection anniversary, users of data will be required to provide proper credit and acknowledgment of the provider. A citation should also be made of the data archive. Users of data are encouraged to discuss relevant findings with the provider early in the research. The user is required to give all providers of the data being used a copy of any manuscript resulting from use of the data prior to the initial submission for publication, thus giving the data provider an opportunity to comment on the paper. The

† Note that all citations given in this addendum are listed in their entirety in the References section of this Technical Memorandum.

provider(s) shall have the right to be named as a co-author. All users and providers are requested to report possible data errors or mislabeling found in the database, to the SeaBASS administration.

Updates and Corrections: A major purpose of the SeaBASS database is to facilitate comparisons between *in situ* observations (regionally, temporally, by technique, by investigator, etc.), as well as between *in situ* and remotely sensed observations. Updates and corrections to submitted data sets are encouraged. Records will be maintained of updates and corrections; summaries of updates will be posted on a database board, and users shall be notified

of the updates. It will be the provider's responsibility to ensure that the current data in the archive is identical to the data used in the provider's most recent publications or current research. When an investigator has determined that the data sets are final, a written certification of data quality is mandatory.

Distribution: After receiving the final data, the SeaWiFS Project Office will forward the data at the appropriate time to NODC for open distribution. A courtesy citation, naming the provider and the funding agency, will accompany the data. The SeaWiFS Project will not be held responsible for any data errors or misuse.

CUMULATIVE INDEX

Unless otherwise indicated, the index entries that follow refer to some aspect of the SeaWiFS instrument or project.

– A –

- aerosol index, **10**(ch. 1).
- Case-2 water, **10**(5).
- potential applications, **10**(5).
- sensitivity studies, **10**(3–5, Table 1 p. 4, Fig. 1 p. 4).
- aerosol optical thickness, **9**(ch. 9); **10**(ch. 6).
- preliminary results, **10**(Fig. 26 p. 43, 44, Table 11 p. 44).
- procedures, **10**(40–41, Table 9 p. 41, Fig. 25 p. 42, Table 10 p. 43, 44).
- algorithms:
 - atmospheric correction, **9**(ch. 8).
 - chlorophyll *a*, **11**(ch. 1, ch. 2).
 - coccolithophore, **9**(ch. 7).
 - data processing, **9**(5).
- along-scan effects, **10**(ch. 5).
 - atmospheric, **10**(34, Figs. 19–21 pp. 35–36, 38).
 - scan angle, **10**(Figs. 22–24 pp. 36–37, 38).
- AMT-5**, Vol. 2; **3**(11).
 - ammonium uptake, **2**(36–37).
 - biogasses, **2**(37–39, Fig. 20 p. 38).
 - biogenic sulphur, **2**(39, Fig. 21 p. 40).
 - bottle log, **2**(Table C2 p. 57–65).
 - bridge log, scientific, **2**(Table B1 pp. 48–56).
 - CHN sample log, **2**(Table M1 p. 94).
 - crew members, **2**(Table A1 p. 47).
 - cruise participants, **2**(108–109).
 - cruise report, Vol. 2.
 - cruise strategy, **2**(2–4, Table 1 p. 3).
 - cruise track, **2**(4–8, Fig. 1 p. 5).
 - CTD station, **2**(Table C1 p. 57).
 - DOC buffer log, **2**(Table O1 pp. 95–107).
 - FRRF, **2**(27, Table H1 pp. 78–85).
 - Guanidinium buffer log, **2**(Table O2 p. 107).
 - instrumentation, **2**(19–25, 27).
 - in-water optics, **2**(19–24, Fig. 14 p. 23).
 - LoCNESS station log, **2**(Table E3 p. 72).
 - microzooplankton, **2**(41–43, Fig. 22 p. 42, Table N1 p. 95).
 - nitrate uptake, **2**(36–37, Table K1 p. 92).
 - nutrients, **2**(35–36, Table J1 p. 92).
 - OPC sample log, **2**(Table L1 pp. 92–93).
 - physical oceanography, **2**(8–13, Figs. 2–9 pp. 9–12).
 - phytoplankton pigment distributions, **2**(31–32, Fig. 18 p. 33).
 - primary productivity, **2**(32, 35).
 - research reports, **2**(8–43).
 - ROSSA, **2**(14, 16–19, Fig. 12 p. 16, Fig. 13 p. 18).
 - SeaFALLS station log, **2**(Table E2 pp. 69–71).
 - SeaOPS station log, **2**(Table E1 pp. 67–69).
 - seawater filtration, **2**(27, 31, Table I1 p. 78).
 - SeaWiFS, calibration and validation of, **2**(43–46, Fig. 23 pp. 45–46).
 - station filtration log, **2**(Table I2 pp. 85–91).

AMT-5, *cont.*

- sun photometer, **2**(25–27, Figs. 16–17 pp. 28–30, Table F1 pp. 73–77).
- surface optics, **2**(24–25, Fig. 15 p. 25).
- TOPEX, **2**(13–14, Figs. 10–11 p. 15).
- UOR optics, **2**(27).
- XBT casts, **2**(Table D1 pp. 65–67).
- XOBT cast log, **2**(Table G1 p. 77).
- zooplankton, **2**(39–41, Table M1 p. 94).
- archived products, **9**(Table 2 pp. 8–9).
- Atlantic Meridional Transect, *see* AMT-5.
- atmospheric correction:
 - aerosol look-up tables, **9**(58–60, Table 13 p. 58, Fig. 35 p. 59, Table 14 p. 60, Fig. 36 p. 61).
 - algorithm, **9**(57–58).
 - algorithm updates, **9**(ch. 8).
 - Ångström exponent, **9**(62–63, Fig. 37 p. 62).
 - Rayleigh tables, **9**(62).
 - transmittance tables, **9**(60).
 - whitecap contributions, **9**(60, 62).
- atmospheric transmittance, **5**(9, Figs. 4–5 pp. 10–11).
 - diffuser, **5**(9–11, Tables 1–4 pp. 11–12).

– B –

band 7:

- band 8 accuracy, **9**(39, Table 10 p. 39).
- calibration method, **9**(40–41, Fig. 26 p. 40, Figs. 27–28 p. 41).
- vicarious calibration, **9**(ch. 5).
- bilinear gain knee calibration, **9**(ch. 2, Fig. 4 p. 15, Tables 3–4 p. 16).

– C –

calibration, Vol. 7; Vol. 9; Vol. 10; Vol. 11.

- A/D, **7**(Table 3 p. 7, 47, 49, Fig. 30 p. 50).
- band 7, **9**(ch. 5).
- bilinear gain knee, **9**(ch. 2).
- chronology and methods, **9**(Fig. 1 p. 10).
- coefficients, **7**(66).
- field, **7**(25–26, Fig. 16 p. 26, 32–34, Fig. 22 p. 33, Table 24 p. 35).
- lamp, **7**(49–50, Fig. 31 p. 51).
- lunar, **9**(ch. 3).
- near infrared, **9**(44).
- NIST, **7**(50–63, Table 35 p. 52, Tables 36–49 pp. 54–57, Tables 50–53 p. 58, Table 54 p. 59, Figs. 32–35 pp. 60–62, Table 55 p. 63).
- overview, **9**(ch. 1).
- solar, **9**(ch. 4).
- time series, **9**(24, Figs. 10–13 pp. 25–26, 29).
- vicarious, **9**(ch. 5, ch. 6).
- visible band, **9**(44–50, Figs. 29–31 pp. 46–49, Table 11 p. 49).
 - see also* AMT-5, SeaWiFS.
- Calibration and Validation Team, *see* CVT.
- chlorophyll *a* algorithm, **11**(ch. 1, ch. 2).
 - initial, updated [OC2v2], **11**(ch. 1).

chlorophyll *a* algorithm, *cont.*

in situ data set, 11(10–15, Table 2 pp. 11–12, Tables 3–4 pp. 12–14, Fig. 5 p. 14, Figs. 6–7 p. 16, Fig. 8 p. 17, Tables 5–7 p. 20).

OC2 and OC4, 11(15, Figs. 8–9 pp. 17–18, 19, Figs. 10–14 pp. 21–23).

revised [OC4v4], 11(ch. 2).

SeaBAM data set, 11(3–7, Figs. 1–3 pp. 4–5, Table 1 p. 6, 7–8, Fig. 4 p. 7).

chlorophyll *a* match-up analysis, 10(ch. 7).

methods, 10(46–52, Fig. 27 p. 47, Fig. 28 pp. 49–50, Tables 12–14 pp. 50–51).

clear-water:

analyses, 10(ch. 4).

radiance, 10(29, Table 9 p. 29, Fig. 12 p. 30).

time-series, 10(Figs. 12–18 pp. 30–33, 33).

cloud-top radiance, 9(ch. 2, Fig. 3 p. 14).

coccolithophore:

algorithm, updated, 9(ch. 7).

tests, 9(51–56, Table 12 p. 52, Figs. 32–34 pp. 53–55).

CVT, 9(ch. 1).

activities, 9(Table 1 pp. 6–8).

— D, E, F, G —

DalBOSS, 3(11–13, Figs. 10–11 p. 12, Fig. 13 p. 15, Table G1 pp. 34–35); 8(3, Table 1 p. 3, Fig. 1 p. 5, 12–13, Figs. 11–12 p. 12, 15, Fig. 13 p. 15).

deployment log, 8(Table B1 pp. 25–27).

DalSAS, 3(10–11, Fig. 9 p. 11, Table F1 pp. 33–34).

data analysis:

MOBY, 9(ch. 6).

detector-based radiometry, *see* SXR.

diffuse attenuation coefficient, 11(ch. 3).

data and methods, 11(25).

results, 11(25, Figs. 15–16 p. 26).

global clear-water analyses, 10(ch. 4).

glossary:

cumulative, 6(5–7).

ground measurements, 5(11–12).

— I —

— I, J —

in-air studies, 7(13–25, Figs. 4–5 p. 14, Fig. 6 p. 17, Tables 7–10 p. 18, Figs. 7–12 pp. 19–21, Tables 11–16 pp. 22–26, Figs. 13–15 pp. 23–24).

analysis, 7(17–18).

measurement principles, 7(15–16).

results, 7(18–22, Tables 7–10 p. 18, Figs. 7–12 pp. 19–21, Tables 11–16 pp. 22–26, Figs. 13–15 pp. 23–24).

index entries, 6(3–4).

index volumes, Vol. 6.

instrumentation:

AMT cruise, 2(19–25, 27).

SeaBOARR-98, 3(2–17, Table 1 p. 3, Fig. 1 p. 4, Table 2 p. 4, Fig. 2 p. 5, Fig. 3 p. 6, Figs. 4–5 p. 7, Figs. 6–7 pp. 8–9, Figs. 8–9 pp. 10–11, Figs. 10–12 pp. 12–13, Fig. 13 p. 15, Figs. 14–15 p. 17).

instrumentation, *cont.*

SeaBOARR-99, 8(3–14, Table 1 p. 3, Tables 2–3 p. 4, Fig. 1 p. 5, Figs. 2–3 p. 6, Fig. 4 p. 7, Figs. 5–6 p. 8, Figs. 7–8 p. 9, Fig. 9 p. 10, Fig. 10 p. 11, Figs. 11–12 p. 12, Fig. 13 p. 15).

integrating sphere sources, Vol. 1; Vol. 4.

see also SXR.

intercalibration, Vol. 7.

interference filter, *see* SXR.

in-water studies, 7(8–13, Fig. 1 p. 9, Table 5 p. 10, Fig. 2 p. 11, Fig. 3 p. 13, Table 6 p. 13).

results, 7(12–13).

irradiance, 7(59, Table 54 p. 59).

irradiance field source, 7(25–34).

field calibrator, 7(25–26, Fig. 16 p. 26, Table 23 p. 33).

irradiance values, 7(Table 17 p. 27).

results, 7(27–34, Tables 18–19 p. 28, Fig. 17 p. 29, Table 20 p. 29, Fig. 18 p. 30, Table 21 p. 30, Figs. 19–21 p. 32, Table 22 p. 32, Fig. 22 p. 33, Table 23 p. 33).

see also calibration, field.

— K —

K(490), *see* diffuse attenuation coefficient.

— L —

LoCNESS, 8(3–6, Table 1 p. 3, Table 2 p. 4, Fig. 1 p. 5, 7–8, Fig. 4 p. 7, 16, Fig. 14 p. 19).

deployment log, 8(Table C1 pp. 27–29).

station log, 2(Table E3 p. 72).

lunar calibration, *see* calibration, lunar.

lunar data analysis, 9(ch. 3).

normalizing factors, 9(18–20, Figs. 6–8 pp. 21–22, Fig. 9 p. 23).

time corrections, 9(24, Figs. 10–13 pp. 25–26).

— M —

Marine Environmental Radiometer, *see* MER.

MER, 11(ch. 4).

ICESS facility and methods, 11(28–33, Fig. 17 p. 30, Table 8 p. 31, Fig. 18 p. 32, Table 9 p. 33).

immersion effects, 11(43, Table 15 p. 44, Fig. 26 p. 44).

long-term averages, 11(41–43, Tables 12–13 p. 42, Table 14 p. 43).

plaque aging, 11(Fig. 24 p. 40, 43, 45).

quality control measures, 11(45, Fig. 27 p. 45).

results, 11(33–41, Fig. 19 p. 34, Fig. 20 p. 36, Table 10 p. 37, Figs. 21–24 pp. 38–40, Fig. 25 p. 41, Table 11 p. 41).

MOBY:

data analysis, 9(ch. 6).

see also calibration.

— N —

normalized water-leaving radiance, 10(ch. 7).

— O —

operational SeaWiFS processing, 10(ch. 3).

second reprocessing, 10(12–18, Table 3 p. 13, Fig. 5 p. 16, Fig. 6 p. 17, Table 7 p. 24).

operational SeaWiFS processing, *cont.*

third reprocessing, 10(18-28, Table 4 p. 19, Table 5 p. 23, Table 6 p. 23, Table 7 p. 27, Figs. 7-9 pp. 25-26, Figs. 10-11 p. 27).

optics:

in-water, 2(19-24, Fig. 14 p. 23); 7(8-13, Fig. 1 p. 9, Table 5 p. 10, Fig. 2 p. 11, Fig. 3 p. 13, Table 6 p. 13).

surface, 2(24-25, Fig. 15 p. 25).

ozone, see TOMS ozone.

- P -

phytoplankton pigment distributions, 2(31-32, Fig. 18 p. 33).

plaque lab, 7(34-46).

results, 7(36-46, Tables 25-27 p. 37, Fig. 23 p. 38, Tables 28-30 p. 39, Figs. 24-27 pp. 40-43, Tables 31-32 p. 44, Fig. 28 p. 45, Table 33 p. 46, Table 34 p. 47).

see also SIRREX-5.

primary productivity, 2(32, 35).

product:

archived, 9(Table 2 pp. 8-9).

evaluations, 9(9).

quality control (QC), 9(11).

validation, 9(10-11).

see also QC products.

- Q -

QC products, 9(11).

- R -

radiance, 7(59).

cloud-top, 9(ch. 2, Fig. 3 p. 14).

normalized water-leaving, 10(ch. 7).

radiometer, Vol. 7.

see also SXR.

radiometric calibration, Vol. 4; Vol. 5; Vol. 7.

1993 calibration, 4(2-6, Tables 1-3 p. 3, Table 4 p. 4); 5(13, Table 5 p. 13, Figs. 6-7 p. 15, Table 15 p. 18).

1997 calibration, 5(13, Table 5 p. 13, Figs. 6-7 p. 15, Table 15 p. 18).

measurement procedures, 4(9-14, Table 8 p. 13).

SeaWiFS results, 4(21-38, Tables 14-15 pp. 24-25, Tables 16-17 pp. 26-27, Figs. 6-8 pp. 29-30, Tables 18-21 pp. 31-33, Tables 22-23 p. 35, Figs. 9-11 pp. 36-38).

SXR, 4(6-7, Table 6 p. 7, 10, 12-17, Figs. 1-2 pp. 15-16, Table 10 p. 17, Fig. 3 p. 18, 18-19).

test equipment, 4(6-9, Table 6 p. 7, Table 7 p. 8).

uncertainty analysis, 4(39-43, Tables 24-29 pp. 40-43, Figs. 12-13 pp. 45-46).

references:

cumulative, 6(9-13).

reflectance equations:

band-averaged center wavelength, 5(5-6).

band-averaged spectral radiance, 5(5).

BRDF, 5(3-4, Fig. 1 p. 4).

SBRC basic equation, 5(6, Fig. 2 p. 7).

solar radiation-based calibration, 5(3-6).

spectral response, 5(4-5).

reflectance equations, *cont.*

transfer-to-orbit experiment, 5(22, Tables 19-20 p. 23).

round-robin experiment, Vol. 7.

see also SIRREX.

- S -

SeaBOARR, Vol. 3, Vol. 8.

DalBOSS, 3(11-13, Figs. 10-11 p. 12, Fig. 13 p. 15, Table G1 pp. 34-35); 8(3, Table 1 p. 3, Fig. 1 p. 5, 12-13, Figs. 11-12 p. 12, 15, Fig. 13 p. 15, Table B1 pp. 25-27).

DalSAS, 3(10-11, Fig. 9 p. 11, Table F1 pp. 33-34).

instrumentation, 3(2-17, Table 1 p. 3, Fig. 1 p. 4, Table 2 p. 4, Fig. 2 p. 5, Fig. 3 p. 6, Figs. 4-5 p. 7, Figs. 6-7 pp. 8-9, Figs. 8-9 pp. 10-11, Figs. 10-12 pp. 12-13, Fig. 13 p. 15, Figs. 14-15 p. 17); 8(3-14, Table 1 p. 3, Tables 2-3 p. 4, Fig. 1 p. 5, Figs. 2-3 p. 6, Fig. 4 p. 7, Figs. 5-6 p. 8, Figs. 7-8 p. 9, Fig. 9 p. 10, Fig. 10 p. 11, Figs. 11-12 p. 12, Fig. 13 p. 15).

methods, 3(18-24, Fig. 16 p. 19, Table 3 p. 20, Table 4 p. 22); 8(14-19, Tables 4-5 p. 18).

preliminary results, 3(24-26, Table 5 p. 24, Fig. 17 p. 25); 8(19-22, Fig. 14 p. 19, Table 6 pp. 20-21, Fig. 15 p. 21, Fig. 16 p. 22, Tables 7-8 p. 22, Fig. 17 p. 23).

science team, 3(27); 8(24).

SeaBOSS, 8(3-7, Table 1 p. 3, Table 3 p. 4, Table B1 pp. 25-27).

SeaFALLS, 2(Table E2 pp. 69-71); 8(3-7, Table 1 p. 3, Table 3 p. 4, Fig. 1 p. 5, Fig. 3 p. 6, Fig. 5 p. 8, Fig. 13 p. 15, 16, Fig. 14 p. 19, Table B1 pp. 25-27).

SeaSAS, 3(7-8, Figs. 4-6 pp. 7-8, Table C1 pp. 30-31); 8(3-6, Table 1 p. 3, Table 2 p. 4, Fig. 1 p. 5, 8-9, Fig. 6 p. 8, Fig. 7 p. 9, 16-17, Table D1 pp. 30-36).

SeaSHADE, 8(3-6, Table 1 p. 3, 8, 9, 11, Fig. 10 p. 11).

SQM-II, 3(13-14, Fig. 13 p. 15, 23-24, Table H1 p. 35-36).

SUNsAS, 8(3-6, Table 1 p. 3, Table 2 p. 4, Fig. 1 p. 5, 9-11, Fig. 8 p. 9, Fig. 9 p. 10, 16-17, Table E1 pp. 37-43).

THOR, 3(6, Fig. 4 p. 7); 8(3, 7, Fig. 5 p. 8).

WiSPER, 3(9-10, Figs. 7-8, pp. 9-10, 18, Fig. 16 p. 19, Table D1 p. 32).

SeaBOSS, 8(3-7, Table 1 p. 3, Table 3 p. 4).

deployment log, 8(Table B1 pp. 25-27).

SeaFALLS, 8(3-7, Table 1 p. 3, Table 3 p. 4, Fig. 1 p. 5, Fig. 3 p. 6, Fig. 5 p. 8, Fig. 13 p. 15, 16, Fig. 14 p. 19).

deployment log, 8(Table B1 pp. 25-27).

station log, 2(Table E2 pp. 69-71).

SeaOPS station log, 2(Table E1 pp. 67-69).

SeaSHADE, 8(3-6, Table 1 p. 3, 8, 9, 11, Fig. 10 p. 11).

SeaWiFS Bio-Optical Algorithm Round-Robin, *see* SeaBOARR.

SeaWiFS Quality Monitor, *see* SQM.

SeaWiFS Transfer Radiometer, *see* SXR.

SIRREX, Vol. 7.

SIRREX-1, 7(1-3).

SIRREX-2, 7(1-3).

SIRREX-3, 7(1-3).

SIRREX-4, 7(1-3).

SIRREX-5, Vol. 7.

agenda, 7(4-5, Table 1 p. 5).

conclusions, 7(67).

- SIRREX-5, *cont.*
- in-air studies, **7**(13–25, Figs. 4–5 p. 14, Fig. 6 p. 17, Tables 7–10 p. 18, Figs. 7–12 pp. 19–21, Tables 11–16 pp. 22–26, Figs. 13–15 pp. 23–24).
 - instruments, **7**(5–7, Table 2 p. 6, Tables 3–4 p. 7).
 - in-water studies, **7**(8–13, Fig. 1 p. 9, Table 5 p. 10, Fig. 2 p. 11, Fig. 3 p. 13, Table 6 p. 13).
 - irradiance field source, **7**(25–34).
 - NIST calibrations, *see* calibrations, NIST.
 - participants, **7**(67–71).
 - plaque lab, **7**(34–46).
 - see also* plaque lab.
 - solar data analysis, **9**(ch. 4).
 - calibration, **9**(28–37, Figs. 15–24 pp. 30–34, Fig. 25 p. 36).
 - solar irradiances, **5**(7–9, Tables 10–16 pp. 17–19).
 - 6S**, **5**(16, Table 12 p. 17, Table 13 p. 18, Table 16 p. 19).
 - band-averaged, **5**(16, Table 10 p. 17, Table 12 p. 17, Table 14 p. 18).
 - Fraunhofer lines, **5**(19–21, Fig. 9 p. 20, Table 18 p. 21).
 - MODTRAN, **5**(16, Tables 10–11 p. 17, Table 16 p. 19).
 - SeaWiFS, **5**(Table 16 p. 19).
 - Thuiller, **5**(16, Tables 14–17 pp. 18–19, Table 17 p. 19).
 - Wehrli, **5**(13–16, Table 7 p. 14, Table 9 p. 14, Table 16 p. 19).
 - solar radiation-based calibration, **5**(1–21).
 - calibration coefficients, **5**(13, Tables 5–9 pp. 13–14, Figs. 6–7 p. 15, Tables 10–15 pp. 17–18).
 - reflectance equations, **5**(3–6).
 - risks and disadvantages, **5**(2).
 - spectral band-pass:
 - analyses, **10**(ch. 2).
 - corrections, **10**(Fig. 4 pp. 9–10, 10–11, Table 2 p. 11).
 - distribution, **10**(Fig. 3 p. 8).
 - effects, **10**(8–10).
 - response function, **10**(Fig. 2 pp. 7–8).
 - spectral radiance, **4**(19–21, Fig. 3 p. 18, Figs. 4–5 p. 20, Tables 11–13 p. 21).
 - see also* SXR.
 - spectral response, **5**(7, Fig. 3 p. 8, 19–21, Fig. 8 p. 19).
 - SQM, **7**(46–47, Fig. 29 pp. 48–49); **8**(13–14, Fig. 13 p. 15, 18–19, 22–24, Fig. 17 p. 23, Table F1 pp. 43–44).
 - SQM-II:
 - see* SeaBOARR.
 - see* SQM.
 - sun glint contamination, **9**(ch. 9).
 - SeaWiFS mask, **9**(65).
 - wind speed data, **9**(65, Fig. 38 p. 66).
 - sun photometer, **2**(25–27, Figs. 16–17 pp. 28–30, Table F1 p. 73–77).
 - SUNSAS, **8**(3–6, Table 1 p. 3, Table 2 p. 4, Fig. 1 p. 5, 9–11, Fig. 8 p. 9, Fig. 9 p. 10, 16–17).
 - deployment log, **8**(Table E1 pp. 37–43).
 - SXR, Vol. 1; Vol. 4.
 - description of, **1**(1–2, Table 1 p. 2).
 - electrical subsystems, **1**(11–14, Table 3 p. 12, Fig. 9 p. 12, Tables 4–5 p. 13, Table 6 p. 14, Table 7 p. 15).
 - instrument design, **1**(2–16, Table 2 p. 3, Fig. 1 p. 3, Figs. 3–8 pp. 7–9, Fig. 9 p. 12, Table 3 p. 12, Tables 4–5 p. 13, Table 6 p. 14).
 - measurement channels, **1**(4–6, Fig. 2 p. 5).
 - measurements, **1**(50–52, Tables 17–18 p. 52); **4**(12–17, Figs. 1–2 pp. 15–16, Table 10 p. 17, Fig. 3 p. 18, 18–19).
 - measurement wavelengths, **7**(Table 27 p. 37).
 - parts used, **1**(Table A1 p. 55).
 - performance analysis, **1**(16–50).
 - relative flux response, **1**(38–43, Table 13 p. 39, Fig. 22 pp. 40–42).
 - relative spatial response, **1**(28–38, Figs. 16–21 pp. 29–37, Tables 11–12 pp. 38–39).
 - relative spectral response, **1**(19–27, Figs. 10–15 pp. 21–26, Tables 9–10 p. 27).
 - signal voltage, **1**(Table 16 p. 46, Fig. 24 pp. 47–49).
 - spectral radiance, **1**(Table 14 p. 44, Table 15 p. 45, Fig. 23 p. 45); **4**(Table 6 p. 7, Table 10 p. 17, Fig. 3 p. 18, Fig. 4 p. 20).
 - studies, **7**(59, 63, Table 55 p. 63, Figs. 36–38 pp. 64–65).
- T, U –
- THOR, **3**(6, Fig. 4 p. 7); **8**(3, 7, Fig. 5 p. 8).
- TOMS ozone, **9**(ch. 10).
 - chlorophyll comparison, **9**(72, Figs. 44–45 pp. 72–73).
 - new ozone scheme, **9**(69–70, Figs. 41–42 p. 70).
 - ozone comparison, **9**(71–72, Fig. 43 p. 71).
- transfer radiometer, Vol. 1; Vol. 4.
 - see also* SXR.
- transfer-to-orbit experiment, Vol. 5.
 - concept, **5**(21).
 - in-flight measurements, **5**(22–25, Fig. 10 p. 24, Table 21 p. 25, Fig. 11 p. 25).
 - reflectance equations, **5**(22, Tables 19–20 p. 23).
- V, W, X, Y, Z –
- validation, Vol. 9, Vol. 10, Vol. 11.
 - overview, **9**(ch. 1).
 - product, **9**(10–11).

GLOSSARY

6S	Not an acronym, but an atmospheric photochemical and radiative transfer model.	CDOM	Colored Dissolved Organic Matter
		CEC	Commission of the European Communities
		CERT	Calibration Evaluation and Radiometric Testing
		C-FALLS	Combined (software package for logging) Sea-FALLS data.
		CHN	Carbon-Hydrogen-Nitrogen
		CHORS	Center for Hydro-Optics and Remote Sensing
		C-mount	Not an acronym, but a mounting system for camera lenses.
		CNR	<i>Consiglio Nazionale delle Ricerche</i> (National Research Council)
		COARE	Coupled Ocean Atmosphere Response Experiment
		CoASTS	Coastal Atmosphere and Sea Time Series
		CoBOP	Coastal Benthic Optical Properties (Bahamas)
		C-OPS	Combined (software package for logging) Sea-OPS data.
		COTS	Commercial Off-The-Shelf
		CSC	Coastal Service Center
		CSH	UNIX “C-shell” (script programming utility)
		CT	Cylindrical Tube or Conductivity and Temperature, depending on usage.
		CTD	Conductivity, Temperature, and Depth
		CV	Coefficient of Variation
		CVE	Calibration and Validation Element
		CVT	Calibration and Validation Team
		CZCS	Coastal Zone Color Scanner
– D –			
		DAAC	Distributed Active Archive Center
		DalBOSS	Dalhousie Buoyant Optical Surface Sensor
		DalSAS	Dalhousie SeaWiFS Aircraft Simulator
		DARR	Data Analysis Round-Robin
		DARR-94	The first DARR (1994)
		DAS	Data Acquisition Sequence
		DATA	Not an acronym, but a designator for the Satlantic, Inc., series of power and telemetry units.
		dc	Direct Current
		DC	Direct Current
		DCM	Deep Chlorophyll Maximum
		DCP	Data Collection Platform
		DIO	Digital Input-Output
		DIR	Not an acronym, but a designator for the Satlantic, Inc., series of directional units.
		DMA	Dimethylamine
		DMM	Digital Multimeter
		DMS	Dimethylsulfide
		DMSP	Dimethylsulphoniopropionate
		DMSPd	Dissolved DMSP
		DMSPp	DMSP within phytoplankton cells
		DNA	Deoxyribonucleic Acid
		DOC	Dissolved Organic Carbon
		DPA	Detector Plate Assembly
		DU	Dobson Unit (of total ozone)
		DUT	Device Under Test
		DVM	Digital Voltmeter
– E –			
		E	East
		EcoHAB	Ecology of Harmful Algal Blooms
		EDTA	Ethylenediaminetetraacetic Acid
		EEZ	Exclusive Economic Zone

e-mail Electronic Mail
 EOS Earth Observing System
 EP Entrance Pupil
 EqPac Equatorial Pacific
 ERS-2 The Second Earth Resources Satellite
 EU European Union
 EUC Equatorial Under Current

– F –

FARCAL Facility for Advanced Radiometric Calibrations
 FASCAL Facility for Automated Spectroradiometric Calibrations
 FEL Not an acronym, but a lamp designator.
 FET Field-Effect Transistor
 FIGD-IC Flow Injection Gas-Diffusion Coupled to Ion Chromatography
 FL-Cuba Florida-Cuba (cruise)
 F-mount Not an acronym, but a mounting system for camera lenses.
 FORTRAN Formula Translation (computer language)
 FRRF Fast Repetition Rate Fluorometer
 FS Field Stop
 FWHM Full-Width at Half-Maximum

– G –

GAC Global Area Coverage
 GF/F Not an acronym, but a specific type of glass fiber filter manufactured by Whatman.
 GLOBEC Global Ocean System Eco-Dynamics
 GMT Greenwich Mean Time
 GoA97 Gulf of Alaska 1997 (cruise)
 GoCal Gulf of California
 GOES-8 The Eighth Geostationary Operational Environmental Satellite
 GOM Gulf of Maine
 GPIB General Purpose Interface Bus
 GSE Ground Support Equipment
 GSFC Goddard Space Flight Center

– H –

HACR High-Accuracy Cryogenic Radiometer
 HDF Hierarchical Data Format
 HMS Her Majesty's Ship
 HOT Hawaii Optical Time-series
 HP Hewlett-Packard
 HPLC High Performance Liquid Chromatography
 HRPT High Resolution Picture Transmission
 HTCO High Temperature Catalytic Oxidation

– I –

IAD Ion-Assisted Beam Deposition
 IC Integrated Circuit
 ICESS Institute for Computational Earth System Science
 ID Inside Diameter
 IDL International Date Line or Interactive Data Language (depending on usage).
 IEEE Institute of Electrical and Electronic Engineers
 IF Interference Filter
 ILX Not an acronym, but part of the name of ILX Lightwave Corporation of Bozeman, Montana.
 IMSL International Mathematical and Statistical Libraries

IOP Inherent Optical Property
 IOS (SOC) Institute of Oceanographic Sciences
 ISDGM *Istituto per lo Studio della Dinamica delle Grandi Masse* (Italy)
 ISIC Integrating Sphere Irradiance Collector

– J, K –

JCR (RRS) *James Clark Ross*
 JES9906 Japan East Sea Cruise, 1999-06
 JGOFS Joint Global Ocean Flux Study
 JRC Joint Research Centre
 JUL98NAN A NOAA-sponsored cruise off Nantucket Island, Massachusetts in July 1998.

– L –

L1 Level-1 SeaWiFS data product
 L1A Level-1a SeaWiFS data product with navigation information
 L2 Level-2 SeaWiFS data product
 L3 Level-3 SeaWiFS data product
 Lab96 Labrador Sea Cruise, 1996
 Lab97 Labrador Sea Cruise, 1997
 Lab98 Labrador Sea Cruise, 1998
 LAC Local Area Coverage
 LANDSAT Land Satellite
 LLR Low Level Radiance
 LoCNESS Low-Cost NASA Environmental Sampling System
 LS Light Stability
 LSB Least Significant Bit
 LTER Long Term Ecological Research
 LXR LANDSAT Transfer Radiometer

– M –

MA Methylamine
 MBARI Monterey Bay Aquarium Research Institute
 MBR Maximum Band Ratio
 MCP Modified Cubic Polynomial
 MER Marine Environmental Radiometer
 MERIS Medium Resolution Imaging Spectrometer
 METEOSAT Meteorological Satellite
 MF0796 R/V *Miller Freeman* Cruise, 1996-07
 MFR-6 Multi-Filter Rotating Shadow-Band Radiometer
 miniNESS miniature NASA Environmental Sampling System
 MISR Multiangle Imaging Spectroradiometer
 MLML Moss Landing Marine Laboratory
 MMA Mirror Mount Assembly or Monomethylamine, depending on usage.
 MOBY Marine Optical Buoy
 MOCE Marine Optical Characterization Experiment
 MODIS Moderate Resolution Imaging Spectroradiometer
 MODTRAN Not an acronym, but an atmospheric photochemical and radiative transfer model.
 MOS Modular Optoelectronic Scanner (spaceborne sensor) or Marine Optical Spectroradiometer (depending on usage)
 MSB Most Significant Bit
 MVDS Multichannel Visible Detector System

SeaWiFS Postlaunch Technical Report Series Cumulative Index: Volumes 1-11

- N -

- N North
- NABE North Atlantic Bloom Experiment
- NASA National Aeronautics and Space Administration
- NCEP National Center for Environmental Prediction
- NCSA National Center for Supercomputing Applications
- NDVI Normalized Difference Vegetation Index
- NEC Not an acronym, but the present name for the Nippon Electric Company (Japan)
- NECC North Equatorial Counter Current
- NEGOM Northeast Gulf of Mexico
- NEUC North Equatorial Undercurrent
- NIR Near-Infrared
- NIST National Institute of Standards and Technology
- NOAA National Oceanic and Atmospheric Administration
- NRL Naval Research Laboratory
- NRSR Normalized Remote Sensing Reflectance

- O -

- OC2 Ocean Chlorophyll 2 (algorithm)
- OC2v1 OC2 version 1
- OC2v2 OC2 version 2
- OC4 Ocean Chlorophyll 4 (algorithm)
- OC4v2 OC4 version 2
- OC4v3 OC4 version 3
- OC4v4 OC4 version 4
 - OCI Ocean Color Irradiance (sensor)
 - OCP Ocean Color Profiler
 - OCR Ocean Color Radiance (sensor)
 - OCTS Ocean Color Temperature Scanner
 - OD Outside Diameter
 - OL Optronic Laboratories, Inc.
 - OPC Optical Plankton Counter
- OrbView-2 Not an acronym, but the current name for the SeaStar satellite.
- ORINOCO Orinoco River Plume
- OSC Orbital Sciences Corporation

- P -

- PAR Photosynthetically Available Radiation
- PC Personal Computer
- PCR Polymerase Chain Reaction
- PD Percent Difference
- PI Principal Investigator
- P-I Photosynthesis-Irradiance
- PID Proportional, Integral, Differential
- PlyMBODy Plymouth Marine Bio-Optical Data Buoy
- PM Particulate Matter
- PML Plymouth Marine Laboratory
- POC Particulate Organic Carbon
- PRIME Plankton Reactivity in the Marine Environment
- PROSOPE *Productivité des Systèmes Océaniques Pélagiques* (Productivity of Pelagic Oceanic Systems)
- PRR Profiling Reflectance Radiometer
- PRT Platinum Resistance Temperature (sensor)
- PST Pacific Standard Time
- PSU Practical Salinity Units
- PTFE Polyfluorotetraethylene
- PVC Polyvinylchloride

- Q -

- QC Quality Control

- R -

- RAM Random Access Memory
- RE Ramsden Eyepiece
- RED9503 Red Tide Cruise, 1995-03
- Res94 Resolute Cruise, 1994
- Res95-2 Resolute Cruise, 1995
- Res96 Resolute Cruise, 1996
- Res98 Resolute Cruise, 1998
- RH Relative Humidity
- RL Relay Lens
- RMS Root Mean Square
- RMSD Root Mean Square Difference
- ROAVERRS Research on Ocean-Atmosphere Variability and Ecosystem Response in the Ross Sea
- ROSSA Radiometric Observations of the Sea Surface and Atmosphere
- RRS Royal Research Ship
- RSG (PML) Remote Sensing Group
- RSMAS Rosenstiel School for Marine and Atmospheric Science
- RSR Relative Spectral Response
- RSS Root-Sum Square
- RTV Room Temperature Vulcanizing
- RVS (BAS) Research Vessel Services

- S -

- S South
- SACZ Sub-Antarctic Convergence Zone
- SAI Space Applications Institute
- SAS Surface Acquisition System
- SAS-II Satlantic Airborne Sensor
- SBE Sea-Bird Electronics
- SBRC Santa Barbara Research Center (Raytheon)
- SBRS Santa Barbara Remote Sensing (Hughes)
- SBUV Solar Backscatter Ultraviolet Radiometer
- S/CSC Stennis (Space Center) Coastal Services Center
- SDSU San Diego State University
- SDY Sequential Day of the Year
- SeaACE SeaWiFS Atlantic Characterization Experiment
- SeaBAM SeaWiFS Bio-optical Algorithm Mini-workshop
- SeaBASS SeaWiFS Bio-Optical Archive and Storage System
- SeaBOARR SeaWiFS Bio-Optical Algorithm Round-Robin
- SeaBOARR-98 The First SeaBOARR (1998)
- SeaBOARR-99 The Second SeaBOARR (1999)
- SeaBOSS SeaWiFS Buoyant Optical Surface Sensor
- SeaDAS SeaWiFS Data Analysis System
- SeaFALLS SeaWiFS Free-Falling Advanced Light Level Sensors
- SeaOPS SeaWiFS Optical Profiling System
- SeaPRISM SeaWiFS Photometer Revision for Incident Surface Measurement
- SeaSAS SeaWiFS Surface Acquisition System
- SeaSHADE SeaWiFS Shadow Band (radiometer)
- SeaStar Not an acronym, but the former name of the satellite on which SeaWiFS was launched, now known as OrbView-2.
- SeaSURF SeaWiFS Square Underwater Reference Frame
- SeaWiFS Sea-viewing Wide Field-of-view Sensor

SEC	South Equatorial Current	TOPEX	Topography Experiment
SEM	Scanning Electronic Microscopy	TOTO	Tongue of the Ocean (Bahamas)
SEUC	South Equatorial Undercurrent	TOVS	TIROS Operational Vertical Sounder
SIMBIOS	Sensor Intercomparison and Merger for Biological and Interdisciplinary Oceanic Studies	TSG	Thermosalinograph
SIO	Scripps Institution of Oceanography	TSM	Total Suspended Matter
SIRREX	SeaWiFS Intercalibration Round-Robin Experiment	TTL	Transistor-Transistor Logic
SIRREX-1	The First SIRREX (July 1992)	 - U -	
SIRREX-2	The Second SIRREX (June 1993)	UA	University of Arizona
SIRREX-3	The Third SIRREX (September 1994)	UCSB	University of California, Santa Barbara
SIRREX-4	The Fourth SIRREX (May 1995)	UIC	Underway Instrumentation and Control
SIRREX-5	The Fifth SIRREX (July 1996)	UK	United Kingdom
SIS	Spherical Integrating Source	UM	University of Miami
SMAB	Southern Mid-Atlantic Bight	UNC	Unified Course
SMSR	SeaWiFS Multichannel Surface Reference	UOR	Undulating Oceanographic Recorder
S/N	Serial Number	UPS	Uninterruptable Power Supply
SNR	Signal-to-Noise Ratio	URL	Universal Resource Locator
S/NRL	Stennis Space Center, Naval Research Laboratory	USF	University of South Florida
SOC	Southampton Oceanography Centre	USN	United States Navy
SOMARE	Sampling, Observations and Modelling of Atlantic Regional Ecosystems	UTC	Coordinated Universal Time (definition reflects actual usage instead of following the letters of the acronym)
SOOP	SeaWiFS Ocean Optics Protocols	UV	Ultraviolet
SOSSTR	Ship of Opportunity Sea Surface Temperature Radiometer	UVA	Ultraviolet-A
SPMR	SeaWiFS Profiling Multichannel Radiometer	 - V -	
SPO	SeaWiFS Project Office	VAFB	Vandenberg Air Force Base
SQM	SeaWiFS Quality Monitor	VisCF	Visible Spectral Comparator Facility (NIST)
SQM-II	The Second Generation SQM	VXR	Visible Transfer Radiometer
SRF	Spectral Response Function	 - W -	
SS	Sea State	W	West
SSE	Size-of-Source Effect	WETLabs	Western Environmental Technology Laboratories (Inc.)
SSH	Sea Surface Height	WiSPER	Wire-Stabilized Profiling Environmental Radiometer
SSM/I	Special Sensor for Microwave/Imaging	WM	Spherical Mirror Wedge Section
SSST	Sea Surface Skin Temperature	WMO	World Meteorological Organization
SUnSAS	SeaWiFS Underway Surface Acquisition System	WOCE	World Ocean Circulation Experiment
SXR	SeaWiFS Transfer Radiometer	WS	Wind Speed
 - T -			
TAO	Tropical Atmosphere-Ocean	WSSC	Washington Suburban Sanitary Commission
TEC	Thermoelectric Cooler	 - X -	
THOR	Three-Headed Optical Recorder	XBT	Expendable Bathymeter
TIROS	Television Infrared Observation Satellite	XOTD	Expendable Optical, Temperature, and Depth
TMA	Trimethylamine	 - Y, Z -	
TOA	Top of the Atmosphere	YB71	Not an acronym, but a type of paint for solar diffusers.
TOC	Total Organic Carbon		
TOGA	Tropical Ocean Global Atmosphere		
TOMS	Total Ozone Mapping Spectrometer		

REFERENCES

- A -

- Aiken, J., G.F. Moore, and P.M. Holligan, 1992: Remote-sensing of oceanic biology in relation to global climate change. *J. Phycol.*, **28**, 579–590.
- , D.G. Cummings, S.W. Gibb, N.W. Rees, R. Woodd-Walker, E.M.S. Woodward, J. Woolfenden, S.B. Hooker, J-F. Berthon, C.D. Dempsey, D.J. Suggett, P. Wood, C. Donlon, N. González-Benítez, I. Huskin, M. Quevedo, R. Barciela-Fernandez, C. de Vargas, and C. McKee, 1998: AMT-5 Cruise Report. *NASA Tech. Memo. 1998-206892, Vol. 2*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 113 pp.
- , N.W. Rees, S. Hooker, P. Holligan, A. Bale, D. Robins, G. Moore, R. Harris, and D. Pilgrim, 2000: The Atlantic Meridional Transect: overview and synthesis of data. *Prog. Oceanogr.*, **45**, 257–312.
- Ainsworth, E.J., and F.S. Patt, 2000: “Modifications to the TOMS ozone ancillary data interpolation.” In: McClain, C.R., E.J. Ainsworth, R.A. Barnes, R.E. Eplee, Jr., F.S. Patt, W.D. Robinson, M. Wang, and S.W. Bailey, SeaWiFS Postlaunch Calibration and Validation Analyses, Part 1. *NASA Tech. Memo. 2000-206892, Vol. 9*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 69–73.
- Ångström, A., 1961: Techniques of determining the turbidity of the atmosphere. *Tellus*, **13**, 214–223.
- ASTM, 1997: “E1256-95, standard test methods for radiation thermometers (single waveband type).” Temperature Measurement, Vol. 14.03, Sect. 14, General Methods and Instrumentation, *Annual Book of ASTM Standards*, American Society of Testing and Materials, Philadelphia, Pennsylvania, 437–443.
- Austin, R.W., 1974: The remote sensing of spectral radiance from below the ocean surface. In: *Optical Aspects of Oceanography*, N.G. Jerlov and E.S. Nielsen, Eds., Academic Press, London, 317–344.
- , 1980: Gulf of Mexico, ocean color surface truth measurements. *Bound.-Layer Meteorol.*, **18**, 269–285.
- , and T.J. Petzold, 1981: The determination of the diffuse attenuation coefficient of sea water using the Coastal Zone Color Scanner. In: *Oceanography from Space*, J.F.R. Gower, Ed., Plenum Press, 239–256.
- B -
- Bailey, S.W., C.R. McClain, P.J. Werdell, and B.D. Schieber, 2000: “Normalized water-leaving radiance and chlorophyll *a* match-up analyses.” In: McClain, C.R., R.A. Barnes, R.E. Eplee, Jr., B.A. Franz, N.C. Hsu, F.S. Patt, C.M. Pietras, W.D. Robinson, B.D. Schieber, G.M. Schmidt, M. Wang, S.W. Bailey, and P.J. Werdell, 2000: SeaWiFS Postlaunch Calibration and Validation Analyses, Part 2. *NASA Tech. Memo. 2000-206892, Vol. 10*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 45–52.
- Barlow, R.G., R.F.C. Mantoura, M.A. Gough, and T.W. Fileman, 1993: Pigment signatures of the phytoplankton composition in the northeastern Atlantic during the 1990 spring bloom. *Deep-Sea Res. II*, **40**, 459–477.
- , D.G. Cummings, and S.W. Gibb, 1998: Improved resolution of mono- and divinyl chlorophylls *a* and *b* and zeaxanthin and lutein in phytoplankton extracts using reverse phase C-8 HPLC. *Mar. Ecol. Prog. Ser.*, **161**, 303–307.
- Barnes, R.A., 1994: *SeaWiFS Data: Actual and Simulated*. [World Wide Web page.] From URLs: <http://seawifs.gsfc.nasa.gov/SEAWIFS/IMAGES/spectra1.dat> and [/spectra2.dat](http://seawifs.gsfc.nasa.gov/SEAWIFS/IMAGES/spectra2.dat) NASA Goddard Space Flight Center, Greenbelt, Maryland.
- , 1996a: “Calculation of an equivalent blackbody temperature for the GSFC sphere.” In: Barnes, R.A., E-n. Yeh, and R.E. Eplee, 1996: SeaWiFS Calibration Topics, Part 1. *NASA Tech. Memo. 104566, Vol. 39*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 5–17.
- , 1996b: “A comparison of the spectral responses of SeaWiFS and the SeaWiFS Transfer Radiometer.” In: Barnes, R.A., E-n. Yeh, and R.E. Eplee, 1996: SeaWiFS Calibration Topics, Part 1. *NASA Tech. Memo. 104566, Vol. 39*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 39–48.
- , 1996c: “SeaWiFS center wavelengths.” In: Barnes, R.A., E-n. Yeh, and R.E. Eplee, 1996: SeaWiFS Calibration Topics, Part 1. *NASA Tech. Memo. 104566, Vol. 39*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 49–53.
- , 1997: “SeaWiFS measurements in orbit: Band-averaged spectral radiance.” In: Barnes, R.A., R.E. Eplee, E-n. Yeh, and W.E. Esaias, 1997: SeaWiFS Calibration Topics, Part 2. *NASA Tech. Memo. 104566, Vol. 40*, S.B. Hooker and E.R. Firestone Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 48–55.
- , and A.W. Holmes, 1993: Overview of the SeaWiFS ocean sensor. *Proc. SPIE*, **1939**, 224–232.
- , W.L. Barnes, W.E. Esaias, and C.R. McClain, 1994a: Prelaunch Acceptance Report for the SeaWiFS Radiometer. *NASA Tech. Memo. 104566, Vol. 22*, S.B. Hooker, E.R. Firestone, and J.G. Acker, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 32 pp.
- , A.W. Holmes, W.L. Barnes, W.E. Esaias, C.R. McClain, and T. Svitek, 1994b: SeaWiFS Prelaunch Radiometric Calibration and Spectral Characterization. *NASA Tech. Memo. 104566, Vol. 23*, S.B. Hooker, E.R. Firestone, and J.G. Acker, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 55 pp.
- , —, and W.E. Esaias, 1995: Stray Light in the SeaWiFS Radiometer. *NASA Tech. Memo. 104566, Vol. 31*, S.B. Hooker, E.R. Firestone, and J.G. Acker, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 76 pp.
- , and R.E. Eplee, Jr., 1996: “The SeaWiFS solar diffuser.” In: Barnes, R.A., E-n. Yeh, and R.E. Eplee, 1996: SeaWiFS Calibration Topics, Part 1. *NASA Tech. Memo. 104566, Vol. 39*, S.B. Hooker and E.R. Firestone Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 54–61.

- , and E.-n. Yeh, 1996: "Effects of source spectral shape in SeaWiFS radiance measurements." In: Barnes, R.A., E.-n. Yeh, and R.E. Eplee, 1996: SeaWiFS Calibration Topics, Part 1. *NASA Tech. Memo. 104566, Vol. 39*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 18–38.
- , and R.E. Eplee, 1997: "The 1993 SeaWiFS calibration using band-averaged spectral radiances." In: Barnes, R.A., R.E. Eplee, E.-n. Yeh, and W.E. Esaias, 1997: SeaWiFS Calibration Topics, Part 2. *NASA Tech. Memo. 104566, Vol. 40*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 39–46.
- , and —, 1997: "The 1993 SeaWiFS calibration using band-averaged spectral radiances." In: Barnes, R.A., R.E. Eplee, E.-n. Yeh, and W.E. Esaias, 1997: SeaWiFS Calibration Topics, Part 2. *NASA Tech. Memo. 104566, Vol. 40*, S.B. Hooker and E.R. Firestone Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 39–47.
- , and W.E. Esaias, 1997: "A nominal top-of-the-atmosphere spectrum for SeaWiFS." In: Barnes, R.A., R.E. Eplee, E.-n. Yeh, and W.E. Esaias, 1997: SeaWiFS Calibration Topics, Part 2. *NASA Tech. Memo. 104566, Vol. 40*, S.B. Hooker and E.R. Firestone Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 3–11.
- , R.E. Eplee, and F.S. Patt, 1998: "SeaWiFS measurements of the moon." In: Sensors, Systems, and Next-Generation Satellites II, *SPIE*, **3498**, 311–324.
- , and C.R. McClain, 1999: "The calibration of SeaWiFS after two years on orbit." In: Sensors, Systems, and Next-Generation Satellites V, *SPIE*, **3870**, 214–227.
- , R.E. Eplee, Jr., F.S. Patt, and C.R. McClain, 1999a: Changes in the radiometric sensitivity of SeaWiFS determined from lunar and solar-based measurements. *Appl. Opt.*, **38**, 4,649–4,664.
- , —, S.F. Biggar, K.J. Thome, E.F. Zalewski, P.M. Slater, and A.W. Holmes, 1999b: The SeaWiFS Solar Radiation-Based Calibration and the Transfer-to-Orbit Experiment. *NASA Tech. Memo. 1999-206892, Vol. 5*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 28 pp.
- Biggar, S.F., 2001: A method for correcting the irradiance of standards of spectral irradiance (lamps) operated at non-standard distances. *Opt. Photonics News*, (withdrawn).
- , D.I. Gelman, and P.N. Slater, 1990: Improved evaluation of optical depth components from Langley plot data. *Remote Sens. Environ.*, **32**, 91–101.
- , K.J. Thome, P.N. Slater, A.W. Holmes, and R.A. Barnes, 1993a: Preflight solar radiation-based calibration of SeaWiFS. *SPIE*, **1939**, 233–242.
- , P.N. Slater, K.J. Thome, A.W. Holmes, and R.A. Barnes, 1994: "Preflight solar-based calibration of SeaWiFS." In: McClain, C.R., R.S. Fraser, J.T. McLean, M. Darzi, J.K. Firestone, F.S. Patt, B.D. Schieber, R.H. Woodward, E.-n. Yeh, S. Mattoo, S.F. Biggar, P.N. Slater, K.J. Thome, A.W. Holmes, R.A. Barnes, and K.J. Voss, 1994: Case Studies for SeaWiFS Calibration and Validation, Part 2. *NASA Tech. Memo. 104566, Vol. 19*, S.B. Hooker, E.R. Firestone, and J.G. Acker, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 25–32.
- , K.J. Thome, P.N. Slater, A.W. Holmes, and R.A. Barnes, 1995: "Second SeaWiFS preflight solar radiation-based calibration experiment." In: Mueller, J.L., R.S. Fraser, S.F. Biggar, K.J. Thome, P.N. Slater, A.W. Holmes, R.A. Barnes, C.T. Weir, D.A. Siegel, D.W. Menzies, A.F. Michaels, and G. Podesta, 1995: Case Studies for SeaWiFS Calibration and Validation, Part 3. *NASA Tech. Memo. 104566, Vol. 27*, S.B. Hooker, E.R. Firestone, and J.G. Acker, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 20–24.
- , P.N. Slater, J.M. Palmer, and K.J. Thome, 2001: Unified approach to absolute radiometric calibration in the solar-reflective range. *Remote Sens. Environ.*, (accepted).
- Berk, A., L.S. Bernstein, and D.C. Robertson, 1989: MODTRAN: A moderate resolution model for LOWTRAN7. *Tech. Report GL-TR-90-0122*, Geophysical Directorate Phillips Laboratory, Hanscom AFB, Massachusetts, 44 pp.
- Bjornland, T., and S. Liaaen-Jensen, 1989: Distribution patterns of carotenoids in relation to chromophyte phylogeny and systematics. In: *The Chromophyte Algae: Problems and Perspectives*. J.C. Green, B.S.C. Leadbeater, and W.L. Diver, Eds., Clarendon Press, Oxford, 37–61.
- Brewer, P.G., and J.P. Riley, 1965: The automatic determination of nitrate in sea water. *Deep-Sea Res.*, **12**, 765–772.
- Brown, C.W., 1995: "Classification of coccolithophore blooms in ocean color imagery." In: McClain, C.R., W.E. Esaias, M. Darzi, F.S. Patt, R.H. Evans, J.W. Brown, K.R. Arrigo, C.W. Brown, R.A. Barnes, and L. Kumar, 1995: Case Studies for SeaWiFS Calibration and Validation, Part 4. *NASA Tech. Memo. 104566, Vol. 28*, S.B. Hooker, E.R. Firestone, and J.G. Acker, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 13–19.
- , and J.A. Yoder, 1994: Coccolithophorid blooms in the global ocean. *J. Geophys. Res.*, **99**, 7,467–7,482.
- Bruegge, C.J., V.G. Duval, N.L. Chrien, and D.J. Diner, 1993: Calibration plans for the multi-angle, imaging spectroradiometer (MISR). *Metrologia*, **30**, 231–221.
- Bukata, R.P., J.H. Jerome, and J.E. Bruton, 1988: Particulate concentrations in Lake St. Clair as recorded by a shipborne multispectral optical monitoring system. *Remote Sens. Environ.*, **25**, 201–229.
- , —, K.Y. Kondratyev, and D.V. Pozdnyakov, 1995: *Optical Properties and Remote Sensing of Inland and Coastal Waters*. CRC Press, Boca Raton, Florida, 362 pp.
- Butler, J.J., and B.C. Johnson, 1996: EOS radiometric measurement comparisons at Hughes Santa Barbara Remote Sensing and NASA's Jet Propulsion Laboratory. *The Earth Observer*, **8**(5), 17–19.
- C -
- Carder, K.L., and R.G. Steward, 1985: A remote sensing reflectance model of a red tide dinoflagellate off West Florida. *Limnol. Oceanogr.*, **30**, 286–298.
- Charlson, R.J., J.E. Lovelock, M.O. Andreae, and S.G. Warren, 1987: Oceanic phytoplankton, atmospheric sulphur, cloud albedo, and climate. *Nature*, **326**, 655–661.

- , S.E. Schwartz, J.M. Hales, R.D. Cess, J.A. Coakley, J.E. Hansen, and D.J. Hofmann, 1992: Climate forcing by anthropogenic aerosols. *Science*, **255**, 423–430.
- Chisholm, S.W., R.J. Olson, E.R. Zettler, R. Goericke, J.B. Waterbury, and N.A. Welschmeyer, 1988: A novel free-living prochlorophyte abundant in the oceanic euphotic zone. *Nature*, **334**, 340–343.
- Clark, D., H.R. Gordon, K.J. Voss, Y. Ge, W. Broenkow, and C. Trees, 1997: Validation of atmospheric correction over the oceans. *J. Geophys. Res.*, **102**, 17,209–17,217.
- Cox, C., and W. Munk, 1954: Measurements of the roughness of the sea surface from photographs of the sun's glitter. *J. Opt. Soc. Am.*, **44**, 838–850.
- D
- Darzi, M., 1998: SeaWiFS Algorithm Flow Chart. *NASA Contractor Report 1998-206848*, NASA Goddard Space Flight Center, Greenbelt, Maryland, 36 pp.
- , F.S. Patt, and L. Kumar, 1995: “Algorithm for the application of the sensor calibration for SeaWiFS level-2 processing.” In: McClain, C.R., K. Arrigo, W.E. Esaias, M. Darzi, F.S. Patt, R.H. Evans, J.W. Brown, C.W. Brown, R.A. Barnes, and L. Kumar, 1995: SeaWiFS Algorithms, Part 1. *NASA Tech. Memo. 104566*, Vol. 28, S.B. Hooker, E.R. Firestone, and J.G. Acker, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 26–32.
- Dave, J.V., 1972: Development of programs for computing characteristics of ultraviolet radiation. *Tech. Rept.*, Vector Case, IBM Corp., Fed. Syst. Div., Gaithersburg, Maryland, 337 pp.
- DeWitt, D.P., and J.C. Richmond, 1988: “Thermal radiative properties of materials.” In: *Theory and Practice of Radiation Thermometry*, D.P. DeWitt and G.D. Nutter, Eds., John Wiley and Sons, Inc., New York, 91–187.
- Ding, K., and H.R. Gordon, 1994: Atmospheric correction of ocean-color sensors: effects of the Earth's curvature. *Appl. Opt.*, **33**, 7,096–7,106.
- E
- Early, E.A., and B.C. Johnson, 1997: “Calibration and characterization of the GSFC sphere.” In: Yeh, E-n., R.A. Barnes, M. Darzi, L. Kumar, E.A. Early, B.C. Johnson, and J.L. Mueller, 1997: Case Studies for SeaWiFS Calibration and Validation, Part 4. *NASA Tech. Memo. 104566*, Vol. 41, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 3–17.
- , E.A. Thompson, and P. Disterhoft, 1998a: A field calibration unit for ultraviolet spectroradiometers. *Appl. Opt.*, **37**, 6,664–6,670.
- , A. Thompson, B.C. Johnson, J. DeLuisi, P. Disterhoft, D. Wardle, E. Wu, W. Mou, J. Ehramjian, J. Tusson, T. Mestechkina, M. Beaubian, J. Gibson, and D. Hayes, 1998b: The 1996 North American interagency intercomparison of ultraviolet monitoring spectroradiometers. *J. Res. NIST*, **103**, 449–482.
- , —, —, —, —, —, —, —, —, Y. Sun, T. Lucas, T. Mestechkina, L. Harrison, J. Berndt, and D. Hayes, 1998c: The 1995 North American interagency intercomparison of ultraviolet monitoring spectroradiometers. *J. Res. NIST*, **103**, 15–62.
- , P.Y. Barnes, B.C. Johnson, J.J. Butler, C.J. Bruegge, S.F. Biggar, P.R. Spyak, and M.M. Pavlov, 2000: Bidirectional reflectance round-robin in support of the Earth Observing System Program. *J. Atmos. Oceanic Tech.*, **17**, 1,077–1,091.
- Emery, W.J., and J.S. Dewar, 1982: Mean temperature and salinity-depth and temperature-depth curves for the North Atlantic and the North Pacific. *Prog. Oceanogr.*, **11**, 219–305.
- Eplee, R.E., Jr., and R.A. Barnes, 1997: “The SeaWiFS temperature calibration.” In: Barnes, R.A., R.E. Eplee, E-n. Yeh, and W.E. Esaias, 1997: SeaWiFS Calibration Topics, Part 2. *NASA Tech. Memo. 104566*, Vol. 40, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 56–62.
- , and R.A. Barnes, 2000: “Lunar data analysis for SeaWiFS calibration.” In: McClain, C.R., E.J. Ainsworth, R.A. Barnes, R.E. Eplee, Jr., F.S. Patt, W.D. Robinson, M. Wang, and S.W. Bailey, 2000: SeaWiFS Postlaunch Calibration and Validation Analyses, Part 1. *NASA Tech. Memo. 2000-206892*, Vol. 9, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 17–27.
- , and C.R. McClain, 2000a: “MOBY data analysis for vicarious calibration of SeaWiFS bands 1–6.” In: McClain, C.R., E.J. Ainsworth, R.A. Barnes, R.E. Eplee, Jr., F.S. Patt, W.D. Robinson, M. Wang, and S.W. Bailey, 2000: SeaWiFS Postlaunch Calibration and Validation Analyses, Part 1. *NASA Tech. Memo. 2000-206892*, Vol. 9, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 43–50.
- , and —, 2000b: “SeaWiFS global clear-water analysis.” In: McClain, C.R., R.A. Barnes, R.E. Eplee, Jr., B.A. Franz, N.C. Hsu, F.S. Patt, C.M. Pietras, W.D. Robinson, B.D. Schieber, G.M. Schmidt, M. Wang, S.W. Bailey, and P.J. Werdell, 2000: SeaWiFS Postlaunch Calibration and Validation Analyses, Part 2. *NASA Tech. Memo. 2000-206892*, Vol. 10, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 29–33.
- , and F.S. Patt, 2000: “Cloud-top radiance analysis for SeaWiFS bilinear gain knee calibration.” In: McClain, C.R., E.J. Ainsworth, R.A. Barnes, R.E. Eplee, Jr., F.S. Patt, W.D. Robinson, M. Wang, and S.W. Bailey, 2000: SeaWiFS Postlaunch Calibration and Validation Analyses, Part 1. *NASA Tech. Memo. 2000-206892*, Vol. 9, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 13–16.
- , R.A. Barnes, and F.S. Patt, 2000: “Solar data analysis for SeaWiFS calibration.” In: McClain, C.R., E.J. Ainsworth, R.A. Barnes, R.E. Eplee, Jr., F.S. Patt, W.D. Robinson, M. Wang, and S.W. Bailey, 2000: SeaWiFS Postlaunch Calibration and Validation Analyses, Part 1. *NASA Tech. Memo. 2000-206892*, Vol. 9, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 28–37.
- Eppeldauer, G., 1991: Temperature monitored/controlled silicon photodiodes for standardization. *SPIE*, **1479**, 71–77.

- , and J.E. Hardis, 1991: Fourteen decade photocurrent measurements with large area silicon photodiodes at room temperature. *Appl. Opt.*, **30**, 3,091–3,099.
- Evans, R.H., and H.R. Gordon, 1994: Coastal zone color scanner “system calibration”: A retrospective examination. *J. Geophys. Res.*, **99**, 7,293–7,307.
- F —
- Fargion, G.S., and J.L. Mueller, 2000: Ocean Optics Protocols for Satellite Ocean Color Sensor Validation, Revision 2, *NASA Tech. Memo. 2000-209966*, NASA Goddard Space Flight Center, Greenbelt, Maryland, 184 pp.
- , and C.R. McClain, 2001: SIMBIOS Project 2000 Annual Report, *NASA Tech. Memo. 2001-209976* NASA Goddard Space Flight Center, Greenbelt, Maryland, 164 pp.
- Ferrari, G.M., M.D. Dowell, S. Grossi, and C. Targa, 1996: Relationship between the optical properties of chromophoric dissolved organic matter and total concentration of dissolved organic carbon in the southern Baltic Sea region. *Mar. Chem.*, **55**, 299–316.
- Firestone, E.R., and S.B. Hooker, 1998: SeaWiFS Prelaunch Technical Report Series Final Cumulative Index. *NASA Tech. Memo. 1998-104566*, Vol. 43, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 4–8.
- Firestone, J.K., R.H. Woodward, and C.R. McClain, 1994: “An evaluation of surface wind products for use in SeaWiFS.” In: McClain, C.R., R.S. Fraser, J.T. McLean, M. Darzi, J.K. Firestone, F.S. Patt, B.D. Schieber, R.H. Woodward, E-n. Yeh, S. Mattoo, S.F. Biggar, P.N. Slater, K.J. Thome, A.W. Holmes, R.A. Barnes, and K.J. Voss, 1994: Case Studies for SeaWiFS Calibration and Validation, Part 2. *NASA Tech. Memo. 104566*, Vol. 19, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 50–64.
- Flittner, D.E., and P.N. Slater, 1991: Stability of narrow-band filter radiometers in the solar-reflected range. *Photogramm. Eng. Remote Sens.*, **57**, 165–171.
- Fowler, J.B., 1977: The electronic aspects of the NBS detector response and intercomparison package and laser stabilization facility. *Electro-Optics/Laser 77 Conference and Exposition*, Industrial and Scientific Conference Management, Chicago, Illinois, 689–695.
- Fraser, R.S., S. Mattoo, E-n. Yeh, and C.R. McClain, 1997: Algorithm for atmospheric and glint corrections of satellite measurements of ocean pigment. *J. Geophys. Res.*, **102**, 17,107–17,118.
- Fröhlich, C., and G.E. Shaw, 1980: New determination of Rayleigh scattering in the terrestrial atmosphere. *Appl. Opt.*, **19**, 1,773–1,775.
- Frouin, R., M. Schwindling, and P.Y. Deschamps, 1996: Spectral reflectance of sea foam in the visible and near infrared: *In situ* measurements and remote sensing implications. *J. Geophys. Res.*, **101**, 14,361–14,371.
- Fukushima, H., M. Schmidt, B.J. Sohn, M. Toratani, and I. Uno, 1999: Detection of dust loaded airmass in SeaWiFS Imagery: an empirical dust index in comparison with model-predicted dust distribution over the Pacific in April 1998, *Proc. Int. Symp. Remote Sens. '99*, Korean Society of Remote Sensing, ISSN 1226-9743, 89–94.
- Furnas, M.J., 1990: *In situ* growth rates of marine phytoplankton: approaches to measurement, community and species growth rates. *J. Plank. Res.*, **12**, 1,117–1,151.
- G —
- Garside, C., 1982: Chemiluminescent technique for the determination of nanomolar concentrations of nitrate and nitrite in seawater. *Mar. Chem.*, **11**, 159–167.
- Gentile, T.R., and J.M. Houston, J.E. Hardis, C.L. Cromer, and A.C. Parr, 1996: National Institute of Standards and Technology High-accuracy Cryogenic Radiometer. *Appl. Opt.*, **35**, 1,056–1,068.
- Gibb, S.W., J.W. Wood, and R.F.C. Mantoura, 1995: Automation of flow injection gas diffusion-ion chromatography for the nanomolar determination of methylamines and ammonia in seawater and atmospheric samples. *J. Autom. Chem.*, **17**, 205–212.
- , R.F.C. Mantoura, P.S. Liss, and R.G. Barlow, 1998: Distribution and biogeochemistry of methylamines and ammonia in the Arabian Sea. *Deep-Sea Res.*, **46**, 593–615.
- Gordon, H.R., 1981: A preliminary assessment of the Nimbus-7 CZCS atmospheric correction algorithm in a horizontally inhomogeneous atmosphere. In: *Oceanography from Space*, J.F.R. Gower, Ed., Plenum Press, 257–266.
- , 1995: Remote sensing of ocean color: A methodology for dealing with broad spectral bands and significant out-of-band response. *Appl. Opt.*, **34**, 8,363–8,374.
- , 1998: In-orbit calibration strategy for ocean color sensors. *Remote Sens. Environ.*, **63**, 265–278.
- , and W.R. McCluney, 1975: Estimation of the depth of sunlight penetration in the sea for remote sensing. *Appl. Opt.*, **14**, 413–416.
- , and D.K. Clark, 1981: Clear water radiances for atmospheric correction of coastal zone color scanner imagery. *Appl. Opt.*, **20**, 4,175–4,180.
- , J.W. Brown, and R.H. Evans, 1988a: Exact Rayleigh scattering calculations for use with the Nimbus-7 Coastal Zone Color Scanner. *Appl. Opt.*, **27**, 862–871.
- , O.B. Brown, R.H. Evans, J.W. Brown, R.C. Smith, K.S. Baker, and D.K. Clark, 1988b: A semianalytic radiance model of ocean color, *J. Geophys. Res.*, **93**, 10,909–10,924.
- , and K. Ding, 1992: Self shading of in-water optical instruments. *Limnol. Oceanogr.*, **37**, 491–500.
- , and M. Wang, 1992: Surface roughness considerations for atmospheric correction of ocean color sensors. 1: Rayleigh scattering component. *Appl. Opt.*, **31**, 4,247–4,260.
- , and —, 1994a: Retrieval of water-leaving radiance and aerosol optical thickness over the oceans with SeaWiFS: a preliminary algorithm. *Appl. Opt.*, **33**, 443–452.

- , and —, 1994b: Influence of oceanic whitecaps on atmospheric correction of ocean color sensors. *Appl. Opt.*, **33**, 7,354–7,763.
- Graeme, J.G., 1995: *Photodiode Amplifiers: Operational Amplifier Solutions*, McGraw-Hill, New York, 252 pp.
- Grasshoff, K., 1976: *Methods of Seawater Analysis*. Verlag Chemie, Weilheim, Germany, 317 pp.
- Gregg, W.W., F.S. Patt, and R.H. Woodward, 1993: The Simulated SeaWiFS Data Set, Version 1. *NASA Tech. Memo. 104566, Vol. 9*, S.B. Hooker, E.R. Firestone, and A.W. Indest, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 17 pp.
- , —, A.L. Mezaache, J.D. Chen, J.A. Whiting, 1994: The Simulated SeaWiFS Data Set, Version 2. *NASA Tech. Memo. 104566, Vol. 15*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 42 pp., plus color plates.
- , and R.H. Woodward, 1998: Improvements in high frequency ocean color observations: Combining data from SeaWiFS and MODIS. *IEEE Trans. Geosci. Remote Sens.*, **36**, 1,350–1,353.
- H —
- Hapke, B., 1986: Bidirectional reflectance spectroscopy. 4. Extinction and the opposition effect. *Icarus*, **67**, 246–280.
- Harrison, L., J. Michalsky, and J. Berndt, 1994: Automatic multifilter rotating shadow-band radiometer: An instrument for optical depth and radiation measurements. *Appl. Opt.*, **33**, 5,118–5,125.
- Heath, D.F., Z. Wei, W.K. Fowler, and V.W. Nelson, 1993: Comparison of spectral radiance calibrations of SBUV-2 satellite ozone monitoring instruments using integrating sphere and flat-plate diffuser techniques. *Metrologia*, **30**, 259–264.
- Helfenstein, P., and J. Veverka, 1987: Photometric properties of lunar terrains derived from Hapke's equation. *Icarus*, **72**, 342–357.
- Herman, J.R., P.K. Bhartia, O. Torres, N.C. Hsu, C.J. Seftor, and E. Celarier, 1997: Global distribution of UV-absorbing aerosols from Nimbus-7/TOMS data. *J. Geophys. Res.*, **102**, 16,911–16,922.
- Holben, B.N., T.F. Eck, I. Slutsker, D. Tanré, J.P. Buis, A. Setzer, E. Vermote, J.A. Reagan, Y.I. Kaufman, T. Nakajima, F. Lavenu, I. Jankowiak, and A. Smirnov, 1998: AERONET: A federal instrument network and data archive for aerosol characterization. *Remote Sens. Environ.*, **66**, 1–16.
- Holm-Hansen, O., C.J. Lorenzen, R.W. Holmes, and J.D.H. Strickland, 1965: Fluorometric determination of chlorophyll. *J. du Cons. Int'l. pour l'Explor. de la Mer*, **30**, 3–15.
- Hooker, S.B., W.E. Esaias, G.C. Feldman, W.W. Gregg, and C.R. McClain, 1992: An Overview of SeaWiFS and Ocean Color. *NASA Tech. Memo. 104566, Vol. 1*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 24 pp., plus color plates.
- , and —, 1993: An overview of the SeaWiFS project. *Eos, Trans., Amer. Geophys. Union*, **74**, 241–246.
- , C.R. McClain, and A. Holmes, 1993a: Ocean color imaging: CZCS to SeaWiFS. *Marine Tech. Soc. J.*, **27**, 3–15.
- , W.E. Esaias, and L.A. Rexrode, 1993b: Proceedings of the First SeaWiFS Science Team Meeting. *NASA Tech. Memo. 104566, Vol. 8*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 61 pp.
- , —, J.K. Firestone, T.L. Westphal, E. Yeh, and Y. Ge, 1994a: The SeaWiFS Bio-Optical Archive and Storage System (SeaBASS), Part 1. *NASA Tech. Memo. 104566, Vol. 20*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 40 pp.
- , T.L. Westphal, Y. Ge, 1994b: "The SIRREX database." In: Hooker, S.B., C.R. McClain, J.K. Firestone, T.L. Westphal, E. Yeh, and Y. Ge, 1994: The SeaWiFS Bio-Optical Archive and Storage System (SeaBASS), Part 1. *NASA Tech. Memo. 104566, Vol. 20*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 23–30.
- , C.R. McClain, J.K. Firestone, T.L. Westphal, E-n. Yeh, and Y. Ge, 1994c: The SeaWiFS Bio-Optical Archive and Storage System (SeaBASS), Part 1. *NASA Tech. Memo. 104566, Vol. 20*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 40 pp.
- , and J. Aiken, 1998: Calibration evaluation and radiometric testing of field radiometers with the SeaWiFS Quality Monitor (SQM). *J. Atmos. Oceanic Tech.*, 995–1,007.
- , G. Zibordi, G. Lazin, and S. McLean, 1999: The SeaBOARR-98 Field Campaign. *NASA Tech. Memo. 1999-206892, Vol. 3*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 40 pp.
- , and S. Maritorena, 2000: An evaluation of oceanographic radiometers and deployment methodologies. *J. Atmos. Oceanic Technol.*, **17**, 811–830.
- , and C.R. McClain, 2000: The calibration and validation of SeaWiFS data. *Prog. Oceanogr.*, **45**, 427–465.
- Hsu, N.C., J.R. Herman, P.K. Bhartia, C.J. Seftor, O. Torres, A.M. Thompson, J.F. Gleason, T.F. Eck, and B.N. Holben, 1996: Detection of biomass burning smoke from TOMS measurements. *Geophys. Res. Lett.*, **23**, 745–748.
- , —, O. Torres, B.N. Holben, D. Tanre, T.F. Eck, A. Smirnov, B. Chatenet, and F. Lavenu, 1999: Comparisons of the TOMS aerosol index with sun photometer aerosol optical thickness: results and applications. *J. Geophys. Res.*, **104**, 6,269–6,279.
- , W.D. Robinson, S.W. Bailey, and P.J. Werdell, 2000: "The description of the SeaWiFS absorbing aerosol index." In: McClain, C.R., R.A. Barnes, R.E. Eplee, Jr., B.A. Franz, N.C. Hsu, F.S. Patt, C.M. Pietras, W.D. Robinson, B.D. Schieber, G.M. Schmidt, M. Wang, S.W. Bailey, and P.J. Werdell, 2000: SeaWiFS Postlaunch Calibration and Validation Analyses, Part 2. *NASA Tech. Memo. 2000-206892, Vol. 10*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 3–5.

- I -

International Organization for Standardization, 1993: *Guide to the Expression of Uncertainty in Measurement*, International Organization for Standardization, Geneva, Switzerland, 101 pp.

Iqbal, M., 1983: *An Introduction to Solar Radiation*. Academic Press, New York, 390 pp.

- J -

Jeffrey S.W., R.F.C. Mantoura, and S.W. Wright, Eds., 1997: "Phytoplankton Pigments in Oceanography: Guidelines to Modern Methods." UNESCO Monograph in Oceanographic Methods. *Report for SCOR WH 78, SCOR-UNESCO Monographs on Oceanographic Methodology*. Paris, France.

Johnson, B.C., S.S. Bruce, E.A. Early, J.M. Houston, T.R. O'Brian, A. Thompson, S.B. Hooker, and J.L. Mueller, 1996: The Fourth SeaWiFS Intercalibration Round-Robin Experiment, SIRREX-4, May 1995. *NASA Tech. Memo. 104566, Vol. 37*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 66 pp.

—, F. Sakuma, J.J. Butler, S.F. Biggar, J.W. Cooper, J. Ishida, and K. Suzuki, 1997: Radiometric measurement comparison using the Ocean Color and Temperature Scanner (OCTS) visible and near infrared integrating sphere. *J. Res. NIST*, **102**, 627-646.

—, P.-S. Shaw, S.B. Hooker, and D. Lynch, 1998a: Radiometric and engineering performance of the SeaWiFS Quality Monitor (SQM): A portable light source for field radiometers. *J. Atmos. Oceanic Tech.*, **15**, 1,008-1,022.

—, J.B. Fowler, and C.L. Cromer, 1998b: The SeaWiFS Transfer Radiometer (SXR). *NASA Tech. Memo. 1998-206892, Vol. 1*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 58 pp.

—, E.A. Early, R.E. Eplee, Jr., R.A. Barnes, and R.T. Cafrey, 1999: The 1997 Prelaunch Calibration of SeaWiFS. *NASA Tech. Memo. 1999-206892, Vol. 4*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 51 pp.

Joint Global Ocean Flux Study, 1994: Protocols for the Joint Global Ocean Flux Study Core Measurements. Intergovernmental Oceanographic Commission, Scientific Committee on Oceanic Research. *Manual and Guides, UNESCO*, **29**, 91-96.

Jones, R.D., 1991: An improved fluorescence method for the determination of nanomolar concentrations of ammonium in natural waters. *Limnol. Oceanogr.*, **36**, 814-819.

- K -

Kahru, M., and B.G. Mitchell, 1998a: Spectral reflectance and absorption of a massive red tide off Southern California. *J. Geophys. Res.*, **103**, 21,601-21,609.

—, and —, 1998b: Evaluation of instrument self-shading and environmental errors on ocean color algorithms. *Proc. Ocean Optics XIV*, Kona, Hawaii, S. Ackleson and J. Campbell, Eds., [Available on CD-ROM.]

Karsten, F., 1966: A new table and approximate formula for relative optical air mass. *Arch. Meteorol. Geophys. Bioklimatol. Ser. B*, **14**, 206-223.

Keller, M.D., W.K. Bellows, and R.R.L. Guillard, 1989: Dimethylsulphide production in marine phytoplankton. In: *Biogenic Sulphur in the Environment*. E.S. Saltzman and W.J. Cooper, Eds., American Chemical Society, Washington, DC, 167-182.

Kieffer, H.H., and J.M. Anderson, 1998: "Use of the moon for spacecraft calibration over 350-2500 nm." In: Sensors, Systems, and Next-Generation Satellites II, *SPIE*, **3498**, 325-336.

King, G.M., 1988: Distribution and metabolism of quaternary amines in marine sediments. In: *Nitrogen Cycling in Coastal Marine Environments*. T.H. Blackburn and J. Sorenson, Eds., John Wiley and Sons, Chichester, United Kingdom, 143-173.

Kiorbe, T., 1993: Turbulence, phytoplankton cell size, and the structure of pelagic food webs. *Adv. Mar. Biol.*, **29**, 1-72.

Kirkwood, D.S., 1989: Simultaneous determination of selected nutrients in seawater. *ICES CM1989*, **29**, 12 pp.

Koepke, P., 1984: Effective reflectance of oceanic whitecaps. *Appl. Opt.*, **23**, 1,816-1,824.

Kostkowski, H.J., and F.E. Nicodemus, 1978: "An introduction to the measurement equation." In: F.E. Nicodemus, Ed., 1978: Self-Study Manual on Optical Radiation Measurements, Part 1 Concepts, *NBS Tech. Note 910-2*, U.S. Department of Commerce, National Institute of Standards and Technology, Washington, DC, 58-104.

- L -

Landry, M.R., 1993: Estimating rates of growth and grazing mortality of phytoplankton by the dilution method. In: *Handbook of Methods in Aquatic Microbial Ecology*, P.F. Kemp, B.F. Sherr, E.B. Sherr, and J.J. Cole, Eds., Lewis Publishers, Boca Raton, Florida, 714-722.

Lane, A.P., and W.M. Irvine, 1973: Monochromatic phase curves and albedos for the lunar disk. *Astron. J.*, **78**, 267-277.

Lang, K.R., 1980: *Astrophysical Formulae*, Second Edition, Springer-Verlag, New York, 783 pp.

Larason, T.C., S.B. Bruce, and C.L. Cromer, 1996: The NIST high accuracy scale for absolute spectral response from 406 nm to 920 nm. *J. Res. NIST*, **101**, 133-140.

Lazin, G., 1998: Correction Methods for Low-Altitude Remote Sensing of Ocean Color. *M.Sc. Thesis*, Dalhousie University, Halifax, Nova Scotia, 98 pp.

—, S. Hooker, G. Zibordi, S. McLean, and M.R. Lewis, 1998: In-water and above-water measurements of ocean color. *Proc. Ocean Optics XIV*, Office of Naval Research, Washington, DC, [Available on CD-ROM].

Leckner, B., 1978: The spectral distribution of solar radiation at the Earth's surface -Elements of a model. *Solar Energy*, **20**, 143-150.

- Lee, Z.P., K.L. Carder, R.G. Steward, T.G. Peacock, C.O. Davis, and J.L. Mueller, 1996: Remote sensing reflectance and inherent optical properties of oceanic waters derived from above-water measurements. *Proc. SPIE*, **2963**, 160-166.
- Liu, B.Y.H., and K.W. Lee, 1976: Efficiency of membrane Nucleopore filters for submicrometer aerosols. *Env. Sci. Tech.*, **10**, 345-50.
- M -
- Mantoura, R.F.C., and E.M.S. Woodward, 1983: Optimization of the indophenol blue method for the automated determination of ammonia in estuarine waters. *Estuar. Coastal Shelf Sci.*, **17**, 219-224.
- , S.W. Wright, S.W. Jeffrey, R.G. Barlow, and D.G. Cummings, 1997: "Phytoplankton pigments in oceanography: Guidelines to modern methods." In: S.W. Jeffrey, R.F.C. Mantoura, and S.W. Wright, Eds., UNESCO Monograph in Oceanographic Methods. *Report for SCOR WH 78, SCOR-UNESCO Monographs on Oceanographic Methodology*. Paris, France, 662 pp.
- Marggraf, W.A., and M. Griggs, 1969: Aircraft measurements and calculations of the total downward flux of solar radiation as a function of altitude. *J. Atmos. Sci.*, **26**, 469-477.
- Maritorena, S., and J.E. O'Reilly, 2000: "OC2v2: Update on the initial operational SeaWiFS chlorophyll *a* algorithm." In: O'Reilly, J.E., and 24 Coauthors, 2000: SeaWiFS Post-launch Calibration and Validation Analyses, Part 3. *NASA Tech. Memo. 2000-206892, Vol. 11*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 3-8.
- McClain, C.R., 2000: "SeaWiFS postlaunch calibration and validation overview." In: McClain, C.R., E.J. Ainsworth, R.A. Barnes, R.E. Eplee, Jr., F.S. Patt, W.D. Robinson, M. Wang, and S.W. Bailey, 2000: SeaWiFS Postlaunch Calibration and Validation Analyses, Part 1. *NASA Tech. Memo. 2000-206892, Vol. 9*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 4-12.
- , W.E. Esaias, W. Barnes, B. Guenther, D. Endres, S.B. Hooker, B.G. Mitchell, and R. Barnes, 1992: SeaWiFS Calibration and Validation Plan. *NASA Tech. Memo. 104566, Vol. 3*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 41 pp.
- , R.H. Evans, J.W. Brown, and M. Darzi, 1995: "SeaWiFS quality control masks and flags: initial algorithms and implementation strategy." In: McClain, C.R., W.E. Esaias, M. Darzi, F.S. Patt, R.H. Evans, J.W. Brown, K.R. Arrigo, C.W. Brown, R.A. Barnes, and L. Kumar, 1995: Case Studies for SeaWiFS Calibration and Validation, Part 4. *NASA Tech. Memo. 104566, Vol. 28*, S.B. Hooker, E.R. Firestone, and J.G. Acker, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 3-7.
- , M. Darzi, R.A. Barnes, R.E. Eplee, Jr., J.K. Firestone, F.S. Patt, W.D. Robinson, B.D. Schieber, R.H. Woodward, and E-n. Yeh, 1996: SeaWiFS Calibration and Validation Quality Control Procedures. *NASA Tech. Memo. 104566, Vol. 38*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 68 pp.
- , M.L. Cleave, G.C. Feldman, W.W. Gregg, S.B. Hooker, and N. Kuring, 1998: Science quality SeaWiFS data for global biosphere research. *Sea Technol.*, **39**, 10-16.
- , and G.S. Fargion, 1999a: SIMBIOS Project 1998 Annual Report. *NASA Tech. Memo. 1999-208645*, NASA Goddard Space Flight Center, Greenbelt, Maryland, 105 pp.
- , and —, 1999b: SIMBIOS Project 1999 Annual Report, *NASA Tech. Memo. 1999-209486*, NASA Goddard Space Flight Center, Greenbelt, Maryland, 128 pp.
- McLean, S., S. Feener, J. Scrutton, M. Small, S. Hooker, and M. Lewis, 1998: SQM-II: A commercial portable light source for field radiometer quality assurance. *Proc. Ocean Opt. XIV*, [Available on CD-ROM], Office of Naval Research, Washington, DC.
- Monahan, E.C., 1971: Oceanic whitecaps. *J. Phys. Oceanogr.*, **1**, 139-144.
- Moore, G., J. Aiken, N. Rees, and S. Hooker, 1997: Remote Sensing of Bio-Optical Provinces. Abstract. *Proc. 23rd Annual Conf. Exhib. Remote Sens. Soc.*, 545-550.
- Moore, K.D., K.J. Voss, and H.R. Gordon, 1998: Spectral reflectance of whitecaps: Instrumentation, calibration, and performance in coastal waters. *J. Atmos. Ocean. Tech.*, **15**, 496-509.
- , —, and —, 2000: Spectral reflectance of whitecaps: Their contribution to water-leaving radiance. *J. Geophys. Res.*, **105**, 6,493-6,499.
- Morel, A., 1974: "Optical properties of pure water and pure seawater." In: *Optical Aspects of Oceanography*, N.G. Jerlov and E. Steemann Nielsen, Eds., Academic Press, San Diego, California, 1-24.
- , 1980: In-water and remote measurements of ocean color. *Bound.-Layer Meteorol.*, **18**, 177-201.
- , 1988: Optical modeling of the upper ocean in relation to its biogenous matter content (Case I waters). *J. Geophys. Res.*, **93**, 10,749-10,768.
- , and B. Gentili, 1996: Diffuse reflectance of oceanic waters. III. Implication of bidirectionality for the remote sensing problem, *Appl. Opt.*, **35**, 4,850-4,862.
- , and S. Maritorena, 2001: Bio-optical properties of oceanic waters: a reappraisal. *J. Geophys. Res.*, **106**, 7,163-7,180.
- Morris, A.W., R.J.M. Howland, and A.J. Bale, 1978: A filtration unit for use with continuous autoanalytical systems applied to highly turbid waters. *Estuar. Coastal Mar. Sci.*, **6**, 105-109.
- Mueller, J.L., 1993: The First SeaWiFS Intercalibration Round-Robin Experiment, SIRREX-1, July 1992. *NASA Tech. Memo. 104566, Vol. 14*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 60 pp.
- , 1995a: "An integral method for analyzing irradiance and radiance attenuation profiles." In: Siegel, D.A., M.C. O'Brien, J.C. Sorenson, D.A. Konnoff, E.A. Brody, J.L. Mueller, C.O. Davis, W.J. Rhea, and S.B. Hooker, 1995: Results of the SeaWiFS Data Analysis Round-Robin (DARR-94), July 1994. *NASA Tech. Memo. 104566, Vol. 26*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 44-52.

- , 1995b: "Comparison of irradiance immersion coefficients for several Marine Environmental Radiometers (MERs)." In: Mueller, J.L., R.S. Fraser, S.F. Biggar, K.J. Thome, P.N. Slater, A.W. Holmes, R.A. Barnes, C.T. Weir, D.A. Siegel, D.W. Menzies, A.F. Michaels and G. Podesta, 1995: Case Studies for SeaWiFS Calibration and Validation, Part 3. *NASA Tech. Memo. 104566, Vol. 27*, S.B. Hooker, E.R. Firestone, and J.G. Acker, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 3–15.
- , 1996: MER-2040 SN 8728: Irradiance Immersion Factors, *CHORS Tech. Memo. 004–96*, Center for Hydro-Optics and Remote Sensing, San Diego State University, San Diego, California, 3 pp.
- , 2000: "SeaWiFS algorithm for the diffuse attenuation coefficient, $K(490)$, using water-leaving radiances at 490 and 555 nm." In: O'Reilly, J.E., and 24 Coauthors, SeaWiFS Postlaunch Calibration and Validation Analyses, Part 3. *NASA Tech. Memo. 2000–206892, Vol. 11*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 24–27.
- , and R.W. Austin, 1992: Ocean Optics Protocols for SeaWiFS Validation. *NASA Tech. Memo. 104566, Vol. 5*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 43 pp.
- , B.C. Johnson, C.L. Cromer, J.W. Cooper, J.T. McLean, S.B. Hooker, and T.L. Westphal, 1994: The Second SeaWiFS Intercalibration Round-Robin Experiment, SIRREX-2, June 1993. *NASA Tech. Memo. 104566, Vol. 16*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 121 pp.
- , and R.W. Austin, 1995: Ocean Optics Protocols for SeaWiFS Validation, Revision 1. *NASA Tech. Memo. 104566, Vol. 25*, S.B. Hooker, E.R. Firestone, and J.G. Acker, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 67 pp.
- , B.C. Johnson, C.L. Cromer, S.B. Hooker, J.T. McLean, and S.F. Biggar, 1996: The Third SeaWiFS Intercalibration Round-Robin Experiment, SIRREX-3, September 1994. *NASA Tech. Memo. 104566, Vol. 34*, S.B. Hooker, E.R. Firestone, and J.G. Acker, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 78 pp.
- , and C.C. Trees, 1997: "Revised SeaWiFS prelaunch algorithm for the diffuse attenuation coefficient $K(490)$." In: Yeh, E-n., R.A. Barnes, M. Darzi, L. Kumar, E.A. Early, B.C. Johnson, and J.L. Mueller, 1997: Case Studies for SeaWiFS Calibration and Validation, Part 4. *NASA Tech. Memo. 104566, Vol. 41*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 18–21.
- Muller-Karger, F., C.R. McClain, and P. Richardson, 1988: The dispersal of the Amazon water. *Nature*, **333**, 56–59.

— N —

- Neckel, H., and D. Labs, 1984: The solar radiation between 3,300 and 12,500 Å. *Solar Physics*, **90**, 205–258.
- Nicodemus, F.E., 1978: "More on the distribution of optical radiation with respect to position and direction." In: F.E. Nicodemus, Ed., 1978: Self-Study Manual on Optical Radiation Measurements, Part 1—Concepts, *NBS Tech. Note 910-2*, U.S. Department of Commerce, National Institute of Standards and Technology, Washington, DC, 1–57.

— O —

- O'Reilly, J.E., S. Maritorena, B.G. Mitchell, D.A. Siegel, K.L. Carder, S.A. Garver, M. Kahru, and C. McClain, 1998: Ocean color chlorophyll algorithms for SeaWiFS. *J. Geophys. Res.*, **103**, 24,937–24,953.
- , and 21 Coauthors, 2000: "Ocean color chlorophyll *a* algorithms for SeaWiFS, OC2, and OC4: Version 4," In: O'Reilly, J.E., and 24 Coauthors, 2000: SeaWiFS Post-launch Calibration and Validation Analyses, Part 3. *NASA Tech. Memo. 2000–206892, Vol. 11*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 9–23.

- O'Shea, D.C., 1985: *Elements of Modern Optical Design*, John Wiley and Sons, New York, 402 pp.

- Owens, N.J.P., and A.P. Rees, 1989: Determination of Nitrogen-15 at submicrogram levels of nitrogen using automated continuous-flow isotope ratio mass spectrometry. *Analyst*, **114**, 1,655–1,657.

— P —

- Pagano, T.S., and R.M. Durham, 1993: Moderate Resolution Imaging Spectroradiometer (MODIS). *SPIE*, **1939**, 2–17.

- Partensky, F., N. Hoepffner, W.K.W. Li, O. Ulloa, and D. Vaultot, 1993: Photoacclimation of *Prochlorococcus sp.* (Prochlorophyta) strains isolated from the North Atlantic and the Mediterranean Sea. *Plant Physiol.*, **101**, 285–296.

- Pope, R.M., and E.S. Fry, 1997: Absorption spectrum (380–700 nm) of pure water, II. Integrating cavity measurements, *Appl. Opt.*, **36**, 8,710–8,723.

- Press, W.H., and S.A. Teukolsky, 1992: Fitting straight line data with errors in both coordinates. *Computers in Phys.*, **6**, 274–276.

— Q —

- Quinn, P.K., 1988: Simultaneous observations of ammonia in the ocean and atmosphere in the remote marine environment. *Ph.D. Thesis*, University of Washington, Seattle, Washington, 138 pp.

- , R.J. Charlson, and T.S. Bates, 1988: Simultaneous observations of ammonia in the atmosphere and ocean. *Nature*, **335**, 336–338.

- , T.S. Bates, J.E. Johnson, J.E. Covert, and R.J. Charlson, 1990: Interactions between the sulfur and reduced nitrogen cycles over the central Pacific Ocean. *J. Geophys. Res.*, **95**, 16,405–16,416.

— R —

- Remer, L.A., Y.J. Kaufman, and B.N. Holben, 1996: "The size distribution of ambient aerosol particles: smoke vs. urban/industrial aerosol." In: *Biomass Burning and Global Change*, J.S. Levine, Ed., MIT Press, Cambridge, Massachusetts, 519–530.

- Ricker, W.E., 1973: Linear regressions in fishery research. *J. Fish. Res. Board Canada*, **30**, 409–434.

- Robins, D.B., A.J. Bale, G.F. Moore, N.W. Rees, S.B. Hooker, C.P. Gallienne, A.G. Westbrook, E. Maraño, W.H. Spooner, and S.R. Laney, 1996: AMT-1 Cruise Report and Preliminary Results. *NASA Tech. Memo. 104566, Vol. 35*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 87 pp.

- Robinson, N., 1966: *Solar Radiation*. American Elsevier, New York, 347 pp.
- Robinson, W.D., and M. Wang, 2000: “Vicarious calibration of SeaWiFS band 7.” In: McClain, C.R., E.J. Ainsworth, R.A. Barnes, R.E. Eplee, Jr., F.S. Patt, W.D. Robinson, M. Wang, and S.W. Bailey, 2000: SeaWiFS Postlaunch Calibration and Validation Analyses, Part 1. *NASA Tech. Memo. 2000-206892, Vol. 9*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, 38–42.
- , G.M. Schmidt, C.R. McClain, and P.J. Werdell, 2000: “Changes made in the operational SeaWiFS processing.” In: McClain, C.R., R.A. Barnes, R.E. Eplee, Jr., B.A. Franz, N.C. Hsu, F.S. Patt, C.M. Pietras, W.D. Robinson, B.D. Schieber, G.M. Schmidt, M. Wang, S.W. Bailey, and P.J. Werdell, 2000: SeaWiFS Postlaunch Calibration and Validation Analyses, Part 2. *NASA Tech. Memo. 2000-206892, Vol. 10*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 12–28.
- S —
- Sakuma, F., B.C. Johnson, S.F. Biggar, J.J. Butler, J.W. Cooper, M. Hiramatsu, and K. Suzuki, 1996: EOS AM-1 pre-flight radiometric measurement comparison using the Advanced Spaceborne Thermal Emission and Reflection radiometer (ASTER) visible/near-infrared integrating sphere. *SPIE*, **2820**, 184–196.
- Saunders, R.D., and J.B. Shumaker, 1977: Optical Radiation Measurements: The 1973 NBS Scale of Spectral Irradiance. *NBS Tech. Note 594-13*, National Bureau of Standards, Gaithersburg, Maryland, 29 pp.
- , and —, 1984: Automated radiometric linearity tester. *Appl. Opt.*, **23**, 3,504–3,506.
- Shaw, P-S., B.C. Johnson, S.B. Hooker, and D. Lynch, 1997: The SeaWiFS Quality Monitor—a portable field calibration light source. *Proc. SPIE*, **2963**, 772–776.
- Shettle, E.P., and R.W. Fenn, 1979: Models for the Aerosols of the Lower Atmosphere and the Effects of Humidity Variations on Their Optical Properties. *AFGL-TR-79-0214*, U.S. Air Force Geophysics Laboratory, Hanscom Air Force Base, Massachusetts, 94 pp.
- Siegel, D.A., M.C. O’Brien, J.C. Sorenson, D.A. Konnoff, E.A. Brody, J.L. Mueller, C.O. Davis, W.J. Rhea, and S.B. Hooker, 1995: Results of the SeaWiFS Data Analysis Round-Robin (DARR-94), July 1994. *NASA Tech. Memo. 104566, Vol. 26*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 58 pp.
- , M. Wang, S. Maritorena, and W. Robinson, 2000: Atmospheric correction of satellite ocean color imagery: the black pixel assumption. *Appl. Opt.*, **39**, 3,582–3,591.
- Slater, P.N., and J.M. Palmer, 1991: Solar-diffuser panel and ratioing radiometer approach to satellite sensor on-board calibration. *SPIE*, **1493**, 100–105.
- Smith, E.V.P., and D.M. Gottlieb, 1974: Solar flux and its variation. *Space Sci. Rev.*, **16**, 771–802.
- Smith, R.C., and K.S. Baker, 1981: Optical properties of the clearest natural waters (200–800 nm). *Appl. Opt.*, **20**, 177–184.
- , and —, 1984: The analysis of ocean optical data. *Ocean Optics VII*, M. Blizzard, Ed., *SPIE*, **478**, 119–126.
- , and —, 1986: Analysis of ocean optical data II. *Ocean Optics VIII*, P.N. Slater, Ed., *SPIE*, **637**, 95–107.
- , D.A. Menzies, and C.R. Booth, 1997: Oceanographic Bio-Optical Profiling System II, *Ocean Optics XIII*, S.G. Ackelson and R. Frouin, Eds., *Proc. SPIE*, **2963**, 777–789.
- Stout, D.F., 1976: *Handbook of Operational Amplifier Design*, M. Kaufman, Ed., McGraw-Hill, New York, 317 pp.
- Strickland, J.D.H., and T.R. Parsons, 1972: *A Practical Handbook of Sea Water Analysis*. Fish. Res. Board. Canada, 310 pp.
- Subramaniam, A., R.R. Hood, C.W. Brown, E.J. Carpenter, and D.G. Capone, 2001: Detecting *Trichodesmium* blooms in SeaWiFS imagery. *Deep-Sea Res.*, (in press).
- T, U —
- Tannré, D., C. Derou, P. Duhaut, M. Herman, J.J. Morcrette, J. Perbos, and P.Y. Deschamps, 1990: Description of a computer code to simulate the satellite signal in the solar spectrum: The 5S code. *Int. J. Remote Sens.*, **11**, 656–668.
- Tassan, S., and M. Ferrari, 1995: An alternative approach to absorption measurements of aquatic particles retained on filters. *Limnol. Oceanogr.*, **40**, 1,358–1,368.
- Taylor, B.N., and C.E. Kuyatt, 1994: Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Results. *NIST Tech. Note 1297*, U.S. Department of Commerce, National Institute of Standards and Technology, Washington, DC, 20 pp.
- Tegen, I., and A.A. Lacis, 1996: Modeling of particle size distribution and its influence on the radiative properties of mineral dust aerosol. *J. Geophys. Res.*, **101**, 19,237–19,244.
- Thompson, A., and H-M. Chen, 1994: Beamcon III, a linearity measurement instrument for optical detectors. *J. Res. NIST*, **99**, 751–755.
- Thuillier, G., M. Herse, P.C. Simon, D. Labs, H. Mandel, and D. Gillotay, 1998: Observation of the solar spectral irradiance from 200 to 870 nm during the ATLAS 1 and 2 missions by the SOLSPEC spectrometer. *Metrologia*, **35**, 689–695.
- Tsai, B.K., and B.C. Johnson, 1998: Radiometric traceability for fundamental measurements: Estimation and evaluation of combined standard uncertainties, *Metrologia*, **35**, 587–593.
- V —
- Vance, T.C., J.D. Schumacher, P.J. Stabeno, C.T. Baier, T. Wyllie-Echeverria, C.T. Tynan, R.D. Brodeur, J.M. Napp, K.O. Coyle, M.B. Decker, G.L. Hunt, Jr., D. Stockwell, T.E. Whitledge, M. Jump, and S. Zeeman, 1998: Aquamarine waters recorded for the first time in the Eastern Bering Sea. *EOS*, **79**, 121 and 126.
- Van Neste, A., R.A. Duce, and C. Lee, 1987: Methylamines in the marine atmosphere. *Geophys. Res. Lett.*, **14**, 711–714.
- Verity, P.G., D.K. Stoecker, M.E. Sieracki, and J.R. Nelson, 1996: Microzooplankton grazing of primary production at 140°W in the equatorial Pacific. *Deep-Sea Res. II*, **43**, 1,227–1,255.

- Vermote, E.F., D. Tanre, J.L. Deuze, M. Herman, and J.J. Morcrette, 1997: Second simulation of the satellite signal in the solar spectrum, 6S: An Overview. *IEEE Trans. Geosci. Remote Sens.*, **35**, 675–686.
- Vigroux, E., 1953: Contribution à l'étude expérimentale de l'absorption de l'ozone. *Ann. Phys.*, **8**, 709–762.
- W, X —
- Walker, J.H., R.D. Saunders, and A.T. Hattenburg, 1987a: Spectral Radiance Calibrations. *NBS Special Publication 250-1*, U.S. Department of Commerce, National Institute of Standards and Technology, Washington, DC, 68 pp.
- , —, J.K. Jackson, and D.A. McSparron, 1987b: Spectral Irradiance Calibrations. *NBS Special Publication 250-20*, U.S. Department of Commerce, National Institute of Standards and Technology, Washington, DC, 37 pp., plus Appendices.
- , —, and A. Thompson, 1994: Improved automated current control for standard lamps. *J. Res. NIST*, **99**, 255–261.
- Wang, M., 1999a: Atmospheric correction of ocean color sensors: Computing atmospheric diffuse transmittance, *Appl. Opt.*, **38**, 451–455.
- , 1999b: A sensitivity study of the SeaWiFS atmospheric correction algorithm: Effects of spectral band variations. *Remote Sens. Environ.*, **67**, 348–359.
- , 2000: “The SeaWiFS atmospheric correction algorithm updates.” In: McClain, C.R., E.J. Ainsworth, R.A. Barnes, R.E. Eplee, Jr., F.S. Patt, W.D. Robinson, M. Wang, and S.W. Bailey, 2000: SeaWiFS Postlaunch Calibration and Validation Analyses, Part 1. *NASA Tech. Memo. 2000-206892*, Vol. 9, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 57–63.
- , —, and H.R. Gordon, 1994: A simple, moderately accurate, atmospheric correction algorithm for SeaWiFS. *Remote Sens. Environ.*, **50**, 231–239.
- , —, and B. Franz, 2000: Comparing the ocean color measurements between MOS and SeaWiFS: A vicarious intercalibration approach for MOS. *IEEE Trans. Geosci. Remote Sens.*, **38**, 184–197.
- , —, and S.W. Bailey, 2000: “Correction of the sun glint contamination on the SeaWiFS aerosol optical thickness retrievals.” In: McClain, C.R., E.J. Ainsworth, R.A. Barnes, R.E. Eplee, Jr., F.S. Patt, W.D. Robinson, M. Wang, and S.W. Bailey, 2000: SeaWiFS Postlaunch Calibration and Validation Analyses, Part 1. *NASA Tech. Memo. 2000-206892*, Vol. 9, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 64–68.
- , —, C.M. Pietras, and C.R. McClain, 2000: “SeaWiFS aerosol optical thickness match-up analyses.” In: McClain, C.R., R.A. Barnes, R.E. Eplee, Jr., B.A. Franz, N.C. Hsu, F.S. Patt, C.M. Pietras, W.D. Robinson, B.D. Schieber, G.M. Schmidt, M. Wang, S.W. Bailey, and P.J. Werdell, 2000: SeaWiFS Postlaunch Calibration and Validation Analyses, Part 2. *NASA Tech. Memo. 2000-206892*, Vol. 10, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 39–44.
- , —, B.A. Franz, and R.A. Barnes, 2000: “Analysis of the SeaWiFS spectral band-pass effects.” In: McClain, C.R., R.A. Barnes, R.E. Eplee, Jr., B.A. Franz, N.C. Hsu, F.S. Patt, C.M. Pietras, W.D. Robinson, B.D. Schieber, G.M. Schmidt, M. Wang, S.W. Bailey, and P.J. Werdell, 2000: SeaWiFS Postlaunch Calibration and Validation Analyses, Part 2. *NASA Tech. Memo. 2000-206892*, Vol. 10, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 6–11.
- Waters, K.J., R.C. Smith, and M.R. Lewis, 1990: Avoiding ship-induced light-field perturbation in the determination of oceanic optical properties, *Oceanogr.*, **3**, 18–21.
- Wehrli, C., 1985: *Extraterrestrial Solar Spectrum*, Publ. 615, *Physikalisch-Meteorologisches Observatorium* World Radiation Center, Davos-Dorf, Switzerland, 23 pp.
- Welschmeyer, N.A., 1994: Fluorometric analysis of chlorophyll-a in the presence of chlorophyll-b and pheopigments. *Limnol. Oceanogr.*, **39**, 1,985–1,992.
- Woodward, R.H., R.A. Barnes, C.R. McClain, W.E. Esaias, W.L. Barnes, and A.T. Mecherikunnel, 1993: Modeling of the SeaWiFS Solar and Lunar Observations. *NASA Tech. Memo. 104566*, Vol. 10, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 26 pp.
- Wright, S.W., S.W. Jeffrey, R.F.C. Mantoura, C.A. Llewellyn, T. Bjornland, D. Repeta, and N. Welschmeyer, 1991: Improved HPLC method for the analysis of chlorophylls and carotenoids from marine phytoplankton. *Mar. Ecol. Prog. Ser.*, **77**, 183–196.
- Wyatt, C.L., 1978: *Radiometric Calibration: Theory and Methods*, Academic Press, New York, 200 pp.
- , 1987: *Radiometric System Design*, Macmillan Publishing Company, New York, 315 pp.
- Y —
- Yang, H., and H.R. Gordon, 1997: Remote sensing of ocean color: Assessment of water-leaving radiance bidirectional effects on atmospheric diffuse transmittance. *Appl. Opt.*, **36**, 7,887–7,897.
- Yeh, E.-n., M. Darzi, and L. Kumar, 1997: “SeaWiFS stray light correction algorithm.” In: Yeh, E.-n., R.A. Barnes, M. Darzi, L. Kumar, E.A. Early, B.C. Johnson, J.L. Mueller, and C.C. Trees, 1997: Case Studies for SeaWiFS Calibration and Validation, Part 4. *NASA Tech. Memo. 104566*, Vol. 41, S.B. Hooker, and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 24–30.
- Young, A.T., 1980: Revised depolarization corrections for atmospheric extinction. *Appl. Opt.*, **19**, 3,427–3,428.
- Z —
- Zaneveld, J.R.V., J.C. Kitchen, A. Bricaud, and C. Moore, 1992: Analysis of *in situ* spectral absorption meter data. *Ocean Optics XI, Proc. SPIE*, **1750**, 187–200.
- Zibordi, G., and M. Ferrari, 1995: Instrument self-shading in underwater optical measurements: Experimental data. *Appl. Opt.*, **34**, 2,750–2,754.
- , J.P. Doyle, and S.B. Hooker, 1999: Offshore tower shading effects on in-water optical measurements. *J. Atmos. Oceanic Tech.*, **16**, 1,767–1,779.

SeaWiFS Postlaunch Technical Report Series Cumulative Index: Volumes 1–11

THE SEAWiFS POSTLAUNCH
TECHNICAL REPORT SERIES

Vol. 1

Johnson, B.C., J.B. Fowler, and C.L. Cromer, 1998: The SeaWiFS Transfer Radiometer (SXR). *NASA Tech. Memo. 1998-206892*, Vol. 1, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 58 pp.

Vol. 2

Aiken, J., D.G. Cummings, S.W. Gibb, N.W. Rees, R. Woodd-Walker, E.M.S. Woodward, J. Woolfenden, S.B. Hooker, J.-F. Berthon, C.D. Dempsey, D.J. Suggett, P. Wood, C. Donlon, N. González-Benítez, I. Huskin, M. Quevedo, R. Barciela-Fernandez, C. de Vargas, and C. McKee, 1998: AMT-5 Cruise Report. *NASA Tech. Memo. 1998-206892*, Vol. 2, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 113 pp.

Vol. 3

Hooker, S.B., G. Zibordi, G. Lazin, and S. McLean, 1999: The SeaBOARR-98 Field Campaign. *NASA Tech. Memo. 1999-206892*, Vol. 3, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 40 pp.

Vol. 4

Johnson, B.C., E.A. Early, R.E. Eplee, Jr., R.A. Barnes, and R.T. Caffrey, 1999: The 1997 Prelaunch Radiometric Calibration of SeaWiFS. *NASA Tech. Memo. 1999-206892*, Vol. 4, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 51 pp.

Vol. 5

Barnes, R.A., R.E. Eplee, Jr., S.F. Biggar, K.J. Thome, E.F. Zalewski, P.N. Slater, and A.W. Holmes 1999: The SeaWiFS Solar Radiation-Based Calibration and the Transfer-to-Orbit Experiment. *NASA Tech. Memo. 1999-206892*, Vol. 5, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, 28 pp.

Vol. 6

Firestone, E.R., and S.B. Hooker, 2000: SeaWiFS Postlaunch Technical Report Series Cumulative Index: Volumes 1–5. *NASA Tech. Memo. 2000-206892*, Vol. 6, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 14 pp.

Vol. 7

Johnson, B.C., H.W. Yoon, S.S. Bruce, P-S. Shaw, A. Thompson, S.B. Hooker, R.E. Eplee, Jr., R.A. Barnes, S. Martorena, and J.L. Mueller, 1999: The Fifth SeaWiFS Intercalibration Round-Robin Experiment (SIRREX-5), July 1996. *NASA Tech. Memo. 1999-206892*, Vol. 7, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, 75 pp.

Vol. 8

Hooker, S.B., and G. Lazin, 2000: The SeaBOARR-99 Field Campaign. *NASA Tech. Memo. 2000-206892*, Vol. 8, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, 46 pp.

Vol. 9

McClain, C.R., E.J. Ainsworth, R.A. Barnes, R.E. Eplee, Jr., F.S. Patt, W.D. Robinson, M. Wang, and S.W. Bailey, 2000: SeaWiFS Postlaunch Calibration and Validation Analyses, Part 1. *NASA Tech. Memo. 2000-206892*, Vol. 9, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, 82 pp.

Vol. 10

McClain, C.R., R.A. Barnes, R.E. Eplee, Jr., B.A. Franz, N.C. Hsu, F.S. Patt, C.M. Pietras, W.D. Robinson, B.D. Schieber, G.M. Schmidt, M. Wang, S.W. Bailey, and P.J. Werdele, 2000: SeaWiFS Postlaunch Calibration and Validation Analyses, Part 2. *NASA Tech. Memo. 2000-206892*, Vol. 10, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, 57 pp.

Vol. 11

O'Reilly, J.E., and 24 Coauthors, 2000: SeaWiFS Postlaunch Calibration and Validation Analyses, Part 3. *NASA Tech. Memo. 2000-206892*, Vol. 11, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, 49 pp.

Vol. 12

Firestone, E.R., and S.B. Hooker, 2001: SeaWiFS Postlaunch Technical Report Series Cumulative Index: Volumes 1–11. *NASA Tech. Memo. 2001-206892*, Vol. 12, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 24 pp.



REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)			2. REPORT DATE May 2001		3. REPORT TYPE AND DATES COVERED Technical Memorandum		
4. TITLE AND SUBTITLE SeaWiFS Postlaunch Technical Report Series Volume 12: The SeaWiFS Postlaunch Technical Report Series Cumulative Index: Volumes 1-11					5. FUNDING NUMBERS Code 970.2		
6. AUTHOR(S) Elaine R. Firestone and Stanford B. Hooker Series Editors: Stanford B. Hooker and Elaine R. Firestone							8. PERFORMING ORGANIZATION REPORT NUMBER 2001-02422-0
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Laboratory for Hydrospheric Processes Goddard Space Flight Center Greenbelt, Maryland 20771							10. SPONSORING/MONITORING AGENCY REPORT NUMBER TM-2001-206892, Vol. 12
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) National Aeronautics and Space Administration Washington, D.C. 20546-0001							11. SUPPLEMENTARY NOTES E.R. Firestone: SAIC General Sciences Corporation, Beltsville, Maryland
12a. DISTRIBUTION/AVAILABILITY STATEMENT Unclassified-Unlimited Subject Category 48 Report is available from the Center for AeroSpace Information (CASI), 7121 Standard Drive, Hanover, MD 21076-1320; (301) 621-0390.							12b. DISTRIBUTION CODE
13. ABSTRACT (Maximum 200 words) The Sea-viewing Wide Field-of-view Sensor (SeaWiFS) is the follow-on ocean color instrument to the Coastal Zone Color Scanner (CZCS), which ceased operations in 1986, after an eight-year mission. SeaWiFS was launched on 1 August 1997, onboard the OrbView-2 satellite, built by Orbital Sciences Corporation (OSC). The SeaWiFS Project at the National Aeronautics and Space Administration (NASA) Goddard Space Flight Center (GSFC), undertook the responsibility of documenting all aspects of this mission, which is critical to the ocean color and marine science communities. The start of this documentation was titled the <i>SeaWiFS Technical Report Series</i> , which ended after 43 volumes were published. A follow-on series was started, titled the <i>SeaWiFS Postlaunch Technical Report Series</i> . This particular volume of the so-called "Postlaunch Series" serves as a reference, or guidebook, to the previous 11 volumes and consists of 5 sections including an errata, an addendum, an index to key words and phrases, a list of acronyms used, and a list of all references cited. The editors will publish a cumulative index of this type after every five volumes.						14. SUBJECT TERMS SeaWiFS, Oceanography, Cumulative, Index, Glossary, References, Postlaunch	
					15. NUMBER OF PAGES 24		
					16. PRICE CODE		
17. SECURITY CLASSIFICATION OF REPORT Unclassified		18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified		19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified		20. LIMITATION OF ABSTRACT Unlimited	



